




D-3a (Cruel Revenge) Class VII Light Cruiser



Construction Data:

<i>Model Numbers —</i>	Type 1	Type 2	Type 3	Type 4	Type 5
<i>Ship Class —</i>	VII	VII	VII	VII	VII
<i>Date Entering Service —</i>	2248-2261	2261-2270	2270-2301	2301-2372	2372-2387
<i>Number Constructed —</i>	1	Refit	Refit	Refit	Refit

Hull Data:

<i>Superstructure Points —</i>	22	22	23	26	30
<i>Damage Chart —</i>	C	C	C	C	C
<i>Size:</i>					
Length —	128.8 m				
Width —	134 m				
Height —	28 m				
Displacement —	89,273 mt	89,393 mt	93,903 mt	89,113 mt	98,805 mt
<i>Cargo:</i>					
Cargo Units —	79 SCU				
Cargo Capacity —	3,950 mt				
Landing Capacity —	None	None	None	None	None

Equipment Data:

<i>Control Computer Type —</i>	R-4M	R-4M	R-5M	R-5M	R-5M-1
<i>Transporters:</i>					
standard 9-person —	2	2	2	2	2
emergency 20-person —	2	2	2	2	2
cargo —	1	1	1	1	1
<i>Cloaking Device Type —</i>	-	-	RCC	RCC	RCC
<i>Power Requirements —</i>	-	-	15	15	15

Other Data:

<i>Crew —</i>	65	65	65	65	65
<i>Passengers —</i>	30	30	30	30	30
<i>Shuttlecraft —</i>	4	4	4	4	4

Engines And Power Data:

<i>Total Power Units Available —</i>	33	33	38	40	40
<i>Movement Point Ratio —</i>	4/1	4/1	4/1	3/1	3/1
<i>Warp Engine Type —</i>	KWC-1	KWC-1	KWC-1	RWC-2	RWC-2
Number —	2	2	2	2	2
Power Units Available —	14 ea.	14 ea.	14 ea.	15 ea.	15 ea.
Stress Chart —	L/O	L/O	L/O	N/Q	N/Q
Maximum Safe Cruising Speed —	Warp 7	Warp 7	Warp 7	Warp 6	Warp 6
Emergency Speed —	Warp 8	Warp 8	Warp 8	Warp 7	Warp 7
<i>Impulse Engine Type —</i>	RIB-3	RIB-3	RIE-1	RIE-1	RIE-1
Power Units Available —	5	5	10	10	10

Weapons And Firing Data:

<i>Beam Weapon Type —</i>	RB-8	RB-8	RB-6	RB-10	RB-15
Number —	4	4	4	4	4
Firing Arcs —	1 f/p, 2 f, 1 f/s				
Firing Chart —	N	N	T	U	U
Maximum Power —	6	6	6	8	15
Damage Modifiers —					
+3	(1-4)	(1-4)	(-)	(1-8)	(1-8)
+2	(5-9)	(5-9)	(1-18)	(9-16)	(9-16)
+1	(10-13)	(10-13)	(-)	(17-20)	(17-20)
<i>Missile Weapon Type —</i>	RPL-1	RPL-2	RPL-3	RPL-4	RP-7
Number —	1	1	1	1	1
Firing Arcs —	1 f	1 f	1 f	1 f	1 f
Firing Chart —	E	M	T	T	R
Power To Arm —	10	15	8	12	1
Damage —	RL-1	RL-2	RL-3	RL-4	20

Shield Data:

<i>Deflector Shield Type —</i>	RSH	RSK	RSO	RSP	RSY
Shield Point Ratio —	1/2	1/2	1/3	1/3	1/3
Maximum Shield Power —	10	14	15	18	28

Combat Efficiency:

<i>D —</i>	69.5	75.5	94.4	119.7	140.4
<i>WDF —</i>	19.9	27.1	34.1	46.4	58.3