

A supplement for use with
STAR TREK[®]
THE ROLE PLAYING GAME


2331 - IX

IMPERIAL KLINGON STATES

9

SHIP RECOGNITION MANUAL
VOLUME 9





INTELLIGENCE DATA RELIABILITY RATINGS

Class A

Hard data gathered from physical examination.

Class B

Intelligence projections based on repeated scans/encounters over protracted periods. Class A plans available.

Class C

Intelligence projections based on repeated scans and encounters. Class B plans available.

Class D

Intelligence projections based on five or fewer scans and encounters. Class C plans available.

Class E

Speculative projections based on hearsay/transmissions from official or semi-official sources.

Class F

Speculative projections based on hearsay/transmissions from unofficial sources.

CHANGES TO THIS MANUAL

Users of this manual are required to submit changes in the information in this publication pursuant to SFOPS. MAN. 307/A45T. Such changes or other comments regarding this publication must be keyed to the specific page, paragraph, and line of text in which the change is recommended. Reasons should be provided for each comment to insure understanding and complete evaluation.

Comments should be prepared using SFRD form 2028 (*Recommended Changes to Publication*) and forwarded directly to:

STAR FLEET INTELLIGENCE COMMAND

Assistant Chief of Staff
Klingon Sector Intelligence
Williams Port, Titan 01.714

FOR AUTHORIZED USE ONLY

Unauthorized use, possession, or disclosure of the contents of this manual is strictly prohibited. All violations are treasonous acts against the United Federation of Planets. Failure to comply with directives regarding the use of this manual will result in imprisonment, death or both.

Classified Document Directive 998.21C

IKS SHIP RECOGNITION MANUAL IX

INTRODUCTION	4
COMBAT VESSELS	
Assault Ships	
<i>T-8A (Cruelheart)</i>	5
Couriers	
<i>K-33A (Ragebreaker)</i>	6
Battleships	
<i>L-17G (Mastermind)</i>	7
Cruisers	
<i>I-9 (Fateful Swordbearer)</i>	8
<i>I-25 (Relentless)</i>	9
<i>D-4E (Nightwing's Revenge)</i>	10
<i>D-6B (Unmerciful)</i>	11
<i>D-7M (Stormchaser)</i>	12
<i>D-7V (Hunter)</i>	13
<i>D-10I (Obstructor)</i>	14
<i>D-19A (Assaulter)</i>	15
<i>D-20D (Offender)</i>	16
<i>D-22A (Charger)</i>	17
<i>D-29A (Warseeker)</i>	18
<i>D-35A (Warcrafter)</i>	19
<i>D-55A (Deathmonger)</i>	20
<i>D-101E (Maelstrom)</i>	21
<i>D-125C (Deceiver)</i>	22
<i>Pegasus (Slave of Swiftess)</i>	23
Destroyers	
<i>D-11C (Skystriker)</i>	24
<i>D-14A (Killer)</i>	25
<i>D-26B (Furyseeker)</i>	26
<i>D-30F (Mutiny)</i>	27
<i>D-41D (Demon)</i>	28
<i>D-67A (Suppression)</i>	29
Escorts	
<i>K-23G (Ragequest)</i>	30
<i>K-29A (Constricted)</i>	31
Frigates	
<i>L-6J (Evoker)</i>	32
<i>L-21H (Fierce)</i>	33
<i>L-50C (Heinous)</i>	34
Gunboats	
<i>K-3C (Irritation)</i>	35
<i>K-5B (Gouger)</i>	36
<i>K-6A (Corrupting)</i>	37
<i>K-9B (Steelhammer)</i>	38
Scouts	
<i>K-7A (Painful)</i>	39
<i>K-14G (Advancer)</i>	40
<i>K-15G (Battlerage)</i>	41
<i>K-20A (Shocker)</i>	42
<i>K-31B (Invoker)</i>	43
SUPPORT VESSELS	
Freighters	
<i>G-1E (Keeper)</i>	44
<i>G-7A (Moderator)</i>	45
Transports	
<i>Baltimore (Slave of Tears)</i>	46
<i>G-5B (Packmaster)</i>	47
<i>G-5C (Conveyor)</i>	48



CREDITS

Original Design

Forest G. Brown

Illustrations & Designs

Aridas Sofia
 Atolm
 Brad R. Torgersen
 Christopher Cornelius
 Dana Knutson
 David Carson
 Eric "Soundwave"
 Falcon01
 Forest G. Brown
 Josh Spencer
 Kenneth G.R. Minick
 Kleeve
 Marc E. Shamma'a
 Michael Morrisette
 Morgan Donovan
 Nilo Rodis
 P.T. Riley
 Rat on Pier
 Ron Swearingen
 Terry D. Shannon
 Todd Guenther
 Tourangeau
 Travis J. Offenberger

Art Patron

Art Braune

INTRODUCTION

THE IKS NAVY


The Imperial Klingon States, born from the failed attempt to take control of the Klingon Empire during the Four-Years War, maintained an active and dangerous deep space fleet of repaired native vessels and newly designed vessels that continued to plague the space lanes from 2260 until the reincorporation of the IKS into the home Empire in 2378 following the Dominion War. These vessels patrolled the IKS and surrounding space, lead an unprecedented number of raids against targets in the Triangle, Federation, Klingon Empire and Romulan Star Empire. Even after the creation of the Federation/Klingon Alliance, the IKS continued to trade with a significant number of entities in the Triangle, unscrupulous Federation members and even Klingon throughout the home Empire, only to later raid these very same worlds.

Over its 100+ years of operation, the IKS leadership continued to try and balance expansion, conquest and trade with the ever increasing need to acquire resources for a final push against the home-world. With much of it's focus on the Federation and the Klingon Empire, the IKS continued to be a significant danger to the Alliance and much of the Triangle.

SCOPE OF THIS MANUAL


This manual describes the major ships of the Imperial Klingon States' Navy on a classified bases, providing an overview to authorized Star Fleet Operation personnel and line officers concerned with the IKS Navy. An effort has been made to provide a comprehensive and objective presentation despite the limitation of space. It is designed for general reading and quick reference.

A historical background for vessels that defected from the Klingon Empire as well as unique designs associated with the IKS from it's founding to it's eventual absorption into the Klingon Empire is provided. The overall reliability of the data available for each vessel is noted, as well as the primary information source, the records of which may be consulted if a more detailed briefing is necessary.





T-8A (CRUELHEART) CLASS V ASSAULT SHIP



Construction Data:

<i>Model Numbers —</i>	Variant-1	Variant-2	Variant-3	Variant-4
<i>Ship Class —</i>	V	V	V	V
<i>Date Entering Service —</i>	2270-2292	2293-2320	2306-2344	2345-2378
<i>Number Constructed —</i>	1	Refit	Refit	Refit

Hull Data:

<i>Superstructure Points —</i>	12	14	16	16
<i>Damage Chart —</i>	C	C	C	C
<i>Size:</i>				
Length —	145.0 m	145.0 m	145.0 m	145.0 m
Width —	132.0 m	132.0 m	132.0 m	132.0 m
Height —	42.0 m	42.0 m	42.0 m	42.0 m
Displacement —	57,058 mt	53,058 mt	56,205 mt	57,005 mt
<i>Cargo:</i>				
Cargo Units —	594 SCU	594 SCU	594 SCU	594 SCU
Cargo Capacity —	29,700 mt	29,700 mt	29,700 mt	29,700 mt
Landing Capacity —	None	None	None	None

Equipment Data:

<i>Control Computer Type —</i>	ZD-3	ZD-4	ZD-4	ZD-4
<i>Transporters:</i>				
standard 6-person —	2	2	2	2
combat 22-person —	5	5	5	5
emergency 22-person —	3	3	3	3
cargo —	2	2	2	2
<i>Cloaking Device Type:</i>	-	KCB	KCB	KCB
<i>Power Requirements —</i>	-	22	22	22

Other Data:

<i>Crew —</i>	106	106	106	106
<i>Troops —</i>	440	440	440	440
<i>Passengers —</i>	0	0	0	0
<i>Shuttlecraft —</i>	24	24	24	24

Engines And Power Data:

<i>Total Power Units Available —</i>	19	22	28	28
<i>Movement Point Ratio —</i>	3/1	2/1	2/1	2/1
<i>Warp Engine Type —</i>	KWF-1	KWC-2	KWC-3	KWC-3
Number —	1	1	1	1
Power Units Available —	15	18	22	22
Stress Chart —	H/I	L/N	L/M	L/M
Maximum Safe Cruising Speed —	Warp 8	Warp 7	Warp 7	Warp 7
Emergency Speed —	Warp 9	Warp 8	Warp 8	Warp 8
<i>Impulse Engine Type —</i>	KIC-2	KIC-2	KID-1	KID-1
Power Units Available —	4	4	6	6

Weapons And Firing Data:

<i>Beam Weapon Type —</i>	KD-7	KD-6	KD-9	KD-8
Number —	4	4	4	4
Firing Arcs —	2 f/p, 2 f/s	2 f/p, 2 f/s	2 f/p, 2 f/s	2 f/p, 2 f/s
Firing Chart —	L	T	U	U
Maximum Power —	7	6	5	7
Damage Modifiers —				
+3	(-)	(-)	(1-7)	(1-7)
+2	(1-6)	(1-18)	(8-15)	(8-15)
+1	(7-12)	(-)	(16-20)	(16-20)

Shield Data:


<i>Deflector Shield Type —</i>	KSC	KSD	KSD	KSD
Shield Point Ratio —	1/1	1/2	1/2	1/2
Maximum Shield Power —	10	11	11	11

Combat Efficiency:

<i>D —</i>	40.2	68.0	77.9	77.9
<i>WDF —</i>	15.2	20.4	22.0	24.4



L-17G (MASTERMIND) CLASS XI BATTLESHIP



Construction Data:	
Model Numbers —	Variant-1
Ship Class —	XI
Date Entering Service —	2366-2378
Number Constructed —	1
Hull Data:	
Superstructure Points —	42
Damage Chart —	C
Size:	
Length —	320.0 m
Width —	143.0 m
Height —	77.0 m
Displacement —	176,485 mt
Cargo:	
Cargo Units —	150 SCU
Cargo Capacity —	7,500 mt
Landing Capacity —	None
Equipment Data:	
Control Computer Type —	ZI-5
Transporters:	
standard 6-person —	8
emergency 22-person —	4
cargo —	2
Cloaking Device Type:	KCD
Power Requirements —	48
Other Data:	
Crew —	427
Troops —	40
Passengers —	30
Shuttlecraft —	10
Engines And Power Data:	
Total Power Units Available —	96
Movement Point Ratio —	5/1
Warp Engine Type —	KWL-1
Number —	2
Power Units Available —	35 ea.
Stress Chart —	H/I
Maximum Safe Cruising Speed —	Warp 7
Emergency Speed —	Warp 9
Impulse Engine Type —	KIK-1
Power Units Available —	26
Weapons And Firing Data:	
Beam Weapon Type —	KD-17
Number —	10
Firing Arcs —	4 f/p, 4 f/s, 2 a
Firing Chart —	X
Maximum Power —	9
Damage Modifiers —	
+3	(1-12)
+2	(13-17)
+1	(18-22)
Missile Weapon Type —	KP-17
Number —	4
Firing Arcs —	2 f, 2 a
Firing Chart —	R
Power To Arm —	2
Damage —	38
Shield Data:	
Deflector Shield Type —	KNSC
Shield Point Ratio —	1/3
Maximum Shield Power —	52
Combat Efficiency:	
D —	217.6
WDF —	180.4

NOTES:

Known Sphere Of Operation: Triangle; Klingon Border

Data Reliability: D

Major Data Source: Triangle Sector Intelligence

The *Mastermind* was one of the last major Klingon warship to defect to the IKS. Assigned to the Orion sphere of influence, the *Mastermind* saw little combat, being too large to properly pursue pirate vessel in the region. After several years of uneventful patrols, what crew could leave the ship had done so, and those left were becoming more frustrated.


The IKS quickly stepped in, offering glory and battle if the ship could make it to IKS territory. Without hesitation, the ship left Klingon space and was soon a part of the IKS fleet. As promised, the *Mastermind* was quickly used to attack Imperial resources along the Triangle border. The *Mastermind* also attacked Federation interests within the Triangle,

Surprisingly, the *Mastermind* was one of a small handful of IKS vessels to ever engage Dominion forces, following the Romulan entry into the war. With the Jem'Hadar striking deep into Klingon space, they moved toward Federation and Romulan interests. Seeing the IKS as simply a Klingon off-shoot, the Jem'Hadar forces simply attacked any Klingon vessel they encountered.

Following the reintegration of the IKS, the *Mastermind* returned to service with the KDF, but was eventually sold to a ranking Imperial family.




I-9 (FATEFUL SWORDBEARER) CLASS X HEAVY CRUISER



Construction Data:			
<i>Model Numbers</i> —	Variant-1	Variant-2	Variant-3
<i>Ship Class</i> —	X	X	X
<i>Date Entering Service</i> —	2279-2340	2333-2355	2349-2378
<i>Number Constructed</i> —	35	Refit	Refit
Hull Data:			
<i>Superstructure Points</i> —	40	40	40
<i>Damage Chart</i> —	C	C	C
<i>Size:</i>			
Length —	251.1 m	251.1 m	251.1 m
Width —	135.1 m	135.1 m	135.1 m
Height —	39.3 m	39.3 m	39.3 m
Displacement —	147,110 mt	153,075 mt	154,615 mt
<i>Cargo:</i>			
Cargo Units —	367 SCU	367 SCU	367 SCU
Cargo Capacity —	18,350 mt	18,350 mt	18,350 mt
<i>Landing Capacity</i> —	None	None	None
Equipment Data:			
<i>Control Computer Type</i> —	ZD-6	ZD-9	ZI-4
<i>Transporters:</i>			
standard 6-person —	3	3	3
combat 22-person —	1	1	1
emergency 22-person —	3	3	3
cargo —	2	2	2
<i>Cloaking Device Type:</i>	-	KCD	KCD
<i>Power Requirements</i> —	-	48	48
Other Data:			
<i>Crew</i> —	273	284	287
<i>Troops</i> —	60	60	60
<i>Passengers</i> —	15	15	15
<i>Shuttlecraft</i> —	6	6	6
Engines And Power Data:			
<i>Total Power Units Available</i> —	44	59	62
<i>Movement Point Ratio</i> —	4/1	4/1	4/1
<i>Warp Engine Type</i> —	KWF-1	KWF-2	KWF-2
Number —	2	2	2
Power Units Available —	16 ea.	18 ea.	18 ea.
Stress Chart —	H/J	H/J	H/J
Maximum Safe Cruising Speed —	Warp 7	Warp 7	Warp 7
Emergency Speed —	Warp 8	Warp 8	Warp 8
<i>Impulse Engine Type</i> —	KIE-2	KIF-2	KIK-1
Power Units Available —	12	23	26
Weapons And Firing Data:			
<i>Beam Weapon Type</i> —	KD-6	KD-15	KD-19
Number —	8	8	8
Firing Arcs —	2 f, 1 p/f/s, 2 p, 2 s, 1 a	2 f, 1 p/f/s, 2 p, 2 s, 1 a	2 f, 1 p/f/s, 2 p, 2 s, 1 a
Firing Chart —	T	T	X
Maximum Power —	6	10	12
Damage Modifiers —			
+3	(-)	(-)	(1-14)
+2	(1-18)	(1-18)	(15-18)
+1	(-)	(-)	(19-22)
<i>Missile Weapon Type</i> —	KP-3	KP-6	KP-14
Number —	2	2	2
Firing Arcs —	1 f, 1 a	1 f, 1 a	1 f, 1 a
Firing Chart —	R	R	L
Power To Arm —	2	2	2
Damage —	15	20	34
Shield Data:			
<i>Deflector Shield Type</i> —	KSP	KST	KSZ
Shield Point Ratio —	1/3	1/3	1/3
Maximum Shield Power —	15	32	50
Combat Efficiency:			
<i>D</i> —	124.7	165.2	195.2
<i>WDF</i> —	58.8	85.2	121.8



I-25 (RELENTLESS) CLASS VII CRUISER



Construction Data:

Model Numbers —	Variant-1	Variant-2
Ship Class —	VII	VII
Date Entering Service —	2271-2378	2277-2378
Number Constructed —	12	9

Hull Data:

Superstructure Points —	26	26
Damage Chart —	B	B
Size:		
Length —	159.7 m	159.7 m
Width —	110.3 m	110.3 m
Height —	29.9 m	29.9 m
Displacement —	98,020 mt	98,765 mt
Cargo:		
Cargo Units —	131 SCU	131 SCU
Cargo Capacity —	6,550 mt	6,550 mt
Landing Capacity —	None	None

Equipment Data:

Control Computer Type —	ZD-5	ZD-5
Transporters:		
standard 6-person —	2	2
combat 22-person —	3	3
emergency 22-person —	1	1
cargo —	2	2
Cloaking Device Type:	-	KCC
Power Requirements —	-	32

Other Data:

Crew —	183	183
Troops —	66	66
Shuttlecraft —	4	4

Engines And Power Data:

Total Power Units Available —	46	54
Movement Point Ratio —	3/1	3/1
Warp Engine Type —	KWC-2	KWC-2
Number —	2	2
Power Units Available —	18 ea.	18 ea.
Stress Chart —	L/O	L/O
Maximum Safe Cruising Speed —	Warp 8	Warp 8
Emergency Speed —	Warp 9	Warp 9
Impulse Engine Type —	OID-3	KIE-3
Power Units Available —	10	18

Weapons And Firing Data:

Beam Weapon Type —	OD-4	OD-4
Number —	6	6
Firing Arcs —	2 f, 2 p/a, 2 s/a	2 f, 2 p/a, 2 s/a
Firing Chart —	T	T
Maximum Power —	6	6
Damage Modifiers —		
+3	(-)	(-)
+2	(1-18)	(1-18)
+1	(-)	(-)
Missile Weapon Type —	OP-4	OP-4
Number —	3	3
Firing Arcs —	2 f, 1 a	2 f, 1 a
Firing Chart —	H	H
Power To Arm —	1	1
Damage —	6	6

Shield Data:

Deflector Shield Type —	KSJ	KSK
Shield Point Ratio —	2/3	1/2
Maximum Shield Power —	13	13

Combat Efficiency:

D —	88.9	106.2
WDF —	36.3	36.3

NOTES:

Known Sphere Of Operation: Triangle; Romulan and Federation Border

Data Reliability: C

Major Data Source: Triangle Sector Intelligence

Star Fleet's information concerning the IKS' *I-25* is somewhat limited. While certain data has been derived from encounters and patrol reports, the bulk of established capability was procured from an analysis report of an *I-25* captured by Klingon forces.

The *I-25* is believed to have been built at several Orion shipyards using the general plans of the Klingon's *D-9* research/exploration cruiser. The *I-25* is more heavily armed and better protected than it's cousin, which was never a popular class within the Empire. The *I-25* is lighter, owing to the use of the KWC power plant. With only a handful of direct encounters with Star Fleet, it is unknown if these ships use cannibalized KWC drive or direct Orion copies. It was not until well into the 2270's that the fledgling IKS had sufficient capability to build new warp drives. The weapon systems are fully Orion due to this deficiency in IKS manufacturing.


The internal volume believed to have been dedicated to scientific research on the *D-9* appears to have been replaced by barracks for up too three platoons of troops. The class is known to have three combat transporters as well making it ideal for quick ground operations.

The Variant-2 is belied to have been equipped with a KCC cloaking device. This made the Variant 2 a formidable raiding vessel throughout the Triangle. Unconfirm reports indicate that the Klingons were considering refitting their own *D-9s* or creating a new class of attack cruiser at one point.

A total of 21 *I-25s* were known to have been built. 3 Variant-1s and 3 Variant-2s were destroyed. 2 Variant-1s and 1 Variant-2 have been captured. 2 Variant-1s and 1 Variant-2 were scrapped. 5 Variant-1s and 4 Variant-2s were repatriated in the late 2370's, all of which were eventually sold to ranking families in the Empire.




D-4E (NIGHTWING S REVENGE) CLASS VII CRUISER



Construction Data:		Variant-1	Variant-2	Variant-3	Variant-4
<i>Model Numbers —</i>		Variant-1	Variant-2	Variant-3	Variant-4
<i>Ship Class —</i>		VII	VII	VII	VII
<i>Date Entering Service —</i>		2259-2270	2270-2298	2298-2310	2310-2332
<i>Number Constructed —</i>		1	Refit	Refit	Refit
Hull Data:					
<i>Superstructure Points —</i>		20	20	20	20
<i>Damage Chart —</i>		C	C	C	C
Size:					
<i>Length —</i>		205.0 m	205.0 m	205.0 m	205.0 m
<i>Width —</i>		130.0 m	130.0 m	130.0 m	130.0 m
<i>Height —</i>		45.0 m	45.0 m	45.0 m	45.0 m
<i>Displacement —</i>		82,210 mt	82,145 mt	82,360 mt	85,085 mt
Cargo:					
<i>Cargo Units —</i>		80 SCU	80 SCU	80 SCU	80 SCU
<i>Cargo Capacity —</i>		4,000 mt	4,000 mt	4,000 mt	4,000 mt
<i>Landing Capacity —</i>		None	None	None	None
Equipment Data:					
<i>Control Computer Type —</i>		CF-6	CF-6	CF-6	CF-6
Transporters:					
<i>standard 6-person —</i>		3	3	3	3
<i>emergency 22-person —</i>		1	1	1	1
<i>cargo —</i>		4	4	4	4
Other Data:					
<i>Crew —</i>		157	157	157	157
<i>Passengers —</i>		20	20	20	20
<i>Shuttlecraft —</i>		4	4	4	4
Engines And Power Data:					
<i>Total Power Units Available —</i>		34	34	46	46
<i>Movement Point Ratio —</i>		4/1	4/1	4/1	4/1
Warp Engine Type —					
<i>FRWC-2</i>		FRWC-2	FRWC-2	FRWC-2	FRWC-2
<i>Number —</i>		2	2	2	2
<i>Power Units Available —</i>		14 ea.	14 ea.	14 ea.	14 ea.
<i>Stress Chart —</i>		C/E	C/E	C/E	C/E
<i>Maximum Safe Cruising Speed —</i>		Warp 7	Warp 7	Warp 7	Warp 7
<i>Emergency Speed —</i>		Warp 8	Warp 8	Warp 8	Warp 8
Impulse Engine Type —					
<i>KID-1</i>		KID-1	KID-1	KIE-3	KIE-3
<i>Power Units Available —</i>		6	6	18	18
Weapons And Firing Data:					
Beam Weapon Type —					
<i>KD-3</i>		KD-3	KD-3	KD-3	KD-6
<i>Number —</i>		3	3	3	5
<i>Firing Arcs —</i>		2 f/s, 1 a	2 f/s, 1 a	2 f/s, 1 a	2 f/p, 2 f/s, 1 a
<i>Firing Chart —</i>		I	I	I	T
<i>Maximum Power —</i>		5	5	5	6
Damage Modifiers —					
<i>+3</i>		(-)	(-)	(-)	(-)
<i>+2</i>		(-)	(-)	(-)	(1-18)
<i>+1</i>		(1-12)	(1-12)	(1-12)	(-)
Beam Weapon Type —					
<i>OD-2</i>		OD-2	OD-9	OD-9	-
<i>Number —</i>		2	2	2	-
<i>Firing Arcs —</i>		2 f/p	2 f/p	2 f/p	-
<i>Firing Chart —</i>		J	N	N	-
<i>Maximum Power —</i>		3	5	5	-
Damage Modifiers —					
<i>+3</i>		(-)	(-)	(-)	-
<i>+2</i>		(1-5)	(-)	(-)	-
<i>+1</i>		(6-10)	(1-13)	(1-13)	-
Missile Weapon Type —					
<i>KP-1</i>		KP-1	OP-4	OP-1	KP-4
<i>Number —</i>		1	1	1	1
<i>Firing Arcs —</i>		1 f	1 f	1 f	1 f
<i>Firing Chart —</i>		F	H	L	Q
<i>Power To Arm —</i>		1	1	1	2
<i>Damage —</i>		6	6	10	18
Shield Data:					
Deflector Shield Type —					
<i>KSE</i>		KSE	KSE	KSE	KSG
<i>Shield Point Ratio —</i>		1/1	1/1	1/1	1/2
<i>Maximum Shield Power —</i>		10	10	10	10
Combat Efficiency:					
<i>D —</i>		54.6	54.6	59.1	75.6
<i>WDF —</i>		11.7	14.3	16.8	35.3



D-6B (UNMERCIFUL) CLASS VII CRUISER



Construction Data:

<i>Model Numbers —</i>	Variant-1	Variant-2	Variant-3	Variant-4
<i>Ship Class —</i>	VII	VII	VII	VII
<i>Date Entering Service —</i>	2259-2265	2266-2293	2293-2339	2341-2355
<i>Number Constructed —</i>	1	Refit	Refit	Refit

Hull Data:

<i>Superstructure Points —</i>	22	22	21	24
<i>Damage Chart —</i>	C	C	C	C
<i>Size:</i>				
Length —	206 m	206 m	206 m	206 m
Width —	135 m	135 m	135 m	135 m
Height —	45 m	45 m	45 m	45 m
Displacement —	92,498 mt	98,625 mt	96,710 mt	99,410 mt
<i>Cargo:</i>				
Cargo Units —	237 SCU	237 SCU	237 SCU	237 SCU
Cargo Capacity —	11,850 mt	11,850 mt	11,850 mt	11,850 mt
Landing Capacity —	None	None	None	None

Equipment Data:

<i>Control Computer Type —</i>	ZD-5	ZD-6	ZD-6	ZI-2
<i>Transporters:</i>				
standard 6-person —	3	3	3	3
emergency 22-person —	1	1	1	1
cargo —	1	1	1	1
<i>Cloaking Device Type:</i>	-	-	-	KCC
<i>Power Requirements —</i>	-	-	-	32

Other Data:

<i>Crew —</i>	185	185	185	185
<i>Troops —</i>	40	40	40	40
<i>Passengers —</i>	20	20	20	20
<i>Shuttlecraft —</i>	6	6	6	6

Engines And Power Data:

<i>Total Power Units Available —</i>	32	42	54	54
<i>Movement Point Ratio —</i>	4/1	4/1	4/1	4/1
<i>Warp Engine Type —</i>	KWC-1	KWC-2	KWC-2	KWC-2
Number —	2	2	2	2
Power Units Available —	14 ea.	18 ea.	18 ea.	18 ea.
Stress Chart —	L/O	L/O	L/O	L/O
Maximum Safe Cruising Speed —	Warp 7	Warp 7	Warp 7	Warp 7
Emergency Speed —	Warp 8	Warp 8	Warp 8	Warp 8
<i>Impulse Engine Type —</i>	KIC-2	KID-1	KIE-3	KIE-3
Power Units Available —	4	6	18	18

Weapons And Firing Data:

<i>Beam Weapon Type —</i>	KD-3	KD-8	KD-18	KD-19
Number —	4	4	4	4
Firing Arcs —	1 f/p, 2 f, 1 f/s	1 f/p, 2 f, 1 f/s	1 f/p, 2 f, 1 f/s	1 f/p, 2 f, 1 f/s
Firing Chart —	I	U	X	X
Maximum Power —	5	7	11	12
Damage Modifiers —				
+3	(-)	(1-7)	(1-7)	(1-14)
+2	(-)	(8-15)	(8-15)	(15-18)
+1	(1-12)	(16-20)	(16-20)	(19-22)
<i>Missile Weapon Type —</i>	KP-2	KP-4	KP-6	KP-11
Number —	2	2	2	2
Firing Arcs —	1 f, 1 a	1 f, 1 a	1 f, 1 a	1 f, 1 a
Firing Chart —	H	Q	R	R
Power To Arm —	1	2	2	1
Damage —	10	18	20	26

Shield Data:


<i>Deflector Shield Type —</i>	KSD	KSP	KSP	KSX
Shield Point Ratio —	1/2	1/3	1/3	1/4
Maximum Shield Power —	10	15	15	32

Combat Efficiency:

<i>D —</i>	68.5	97.5	109.5	158.3
<i>WDF —</i>	15.2	44.0	58.8	76.8




D-7M (STORMCHASER) CLASS IX BATTLECRUISER



Construction Data:			
<i>Model Numbers</i> —	Variant-1	Variant-2	Variant-3
<i>Ship Class</i> —	IX	IX	IX
<i>Date Entering Service</i> —	2273-2303	2305-2339	2343-2359
<i>Number Constructed</i> —	1	Refit	Refit
Hull Data:			
<i>Superstructure Points</i> —	22	22	22
<i>Damage Chart</i> —	C	C	C
<i>Size:</i>			
Length —	221.0 m	221.0 m	221.0 m
Width —	156.0 m	156.0 m	156.0 m
Height —	62.0 m	62.0 m	62.0 m
Displacement —	137,843 mt	139,798 mt	139,833 mt
<i>Cargo:</i>			
Cargo Units —	396 SCU	396 SCU	396 SCU
Cargo Capacity —	19,800 mt	19,800 mt	19,800 mt
Landing Capacity —	None	None	None
Equipment Data:			
<i>Control Computer Type</i> —	ZD-6	ZD-7	ZI-3
<i>Transporters:</i>			
standard 6-person —	3	3	3
combat 22-person —	5	5	5
emergency 22-person —	1	1	1
cargo —	2	2	2
<i>Cloaking Device Type:</i>	-	KCC	KCC
<i>Power Requirements</i> —	-	32	32
Other Data:			
Crew —	269	269	269
Troops —	120	120	120
Passengers —	10	10	10
Shuttlecraft —	5	5	5
Engines And Power Data:			
<i>Total Power Units Available</i> —	44	44	44
<i>Movement Point Ratio</i> —	3/1	3/1	3/1
<i>Warp Engine Type</i> —	KWE-3	KWE-3	KWE-3
Number —	2	2	2
Power Units Available —	20 ea.	20 ea.	20 ea.
Stress Chart —	J/M	J/M	J/M
Maximum Safe Cruising Speed —	Warp 8	Warp 8	Warp 8
Emergency Speed —	Warp 9	Warp 9	Warp 9
<i>Impulse Engine Type</i> —	KIC-2	KIC-2	KIC-2
Power Units Available —	4	4	4
Weapons And Firing Data:			
<i>Beam Weapon Type</i> —	OD-11	KD-17	KD-17
Number —	2	6	6
Firing Arcs —	1 f/p, 1 f/s	2 f/p, 2 f/s	2 f/p, 2 f/s, 1 p/a, 1 s/a
Firing Chart —	U	X	X
Maximum Power —	8	9	9
Damage Modifiers —			
+3	(-)	(1-12)	(1-12)
+2	(1-20)	(13-17)	(13-17)
+1	(-)	(18-22)	(18-22)
<i>Beam Weapon Type</i> —	KD-8	KD-4	None
Number —	2	2	-
Firing Arcs —	1 f/p, 1 f/s	1 p/a, 1 s/a	-
Firing Chart —	U	J	-
Maximum Power —	7	4	-
Damage Modifiers —			
+3	(1-7)	(-)	-
+2	(8-15)	(-)	-
+1	(16-20)	(1-10)	-
<i>Beam Weapon Type</i> —	KD-4	-	-
Number —	2	-	-
Firing Arcs —	2 a	-	-
Firing Chart —	J	-	-
Maximum Power —	4	-	-
Damage Modifiers —			
+3	(-)	-	-
+2	(-)	-	-
+1	(1-10)	-	-
<i>Missile Weapon Type</i> —	KP-3	KP-8	KP-11
Number —	2	2	2
Firing Arcs —	1 f, 1 a	1 f, 1 a	1 f, 1 a
Firing Chart —	R	S	R
Power To Arm —	2	2	1
Damage —	15	24	26
Shield Data:			
<i>Deflector Shield Type</i> —	KSK	KSP	KSS
Shield Point Ratio —	1/2	1/3	1/3
Maximum Shield Power —	12	15	26
Combat Efficiency: D / WDF —	90.5 / 47.4	115.5 / 70.0	132.0 / 84.8



D-7V (HUNTER) CLASS IX BATTLECRUISER



Construction Data:

<i>Model Numbers —</i>	Variant-1	Variant-2	Variant-3	Variant-4
<i>Ship Class —</i>	IX	IX	IX	IX
<i>Date Entering Service —</i>	2294-2316	2316-2344	2346-2357	2358-2378
<i>Number Constructed —</i>	1	Refit	Refit	Refit

Hull Data:

<i>Superstructure Points —</i>	34	38	40	44
<i>Damage Chart —</i>	C	C	C	C
<i>Size:</i>				
Length —	228.0 m	228.0 m	228.0 m	228.0 m
Width —	171.0 m	171.0 m	171.0 m	171.0 m
Height —	63.0 m	63.0 m	63.0 m	63.0 m
Displacement —	122,960 mt	125,765 mt	131,007 mt	137,327 mt
<i>Cargo:</i>				
Cargo Units —	328 SCU	328 SCU	328 SCU	328 SCU
Cargo Capacity —	16,400 mt	16,400 mt	16,400 mt	16,400 mt
Landing Capacity —	None	None	None	None

Equipment Data:

<i>Control Computer Type —</i>	ZD-9	ZD-9	ZI-3	ZI-3
<i>Transporters:</i>				
standard 6-person —	3	3	3	3
combat 22-person —	2	2	2	2
emergency 22-person —	2	2	2	2
cargo —	2	2	2	2
<i>Cloaking Device Type:</i>	KCC	KCC	KCC	KCC
<i>Power Requirements —</i>	32	32	32	32

Other Data:

<i>Crew —</i>	258	258	258	258
<i>Troops —</i>	60	60	60	60
<i>Passengers —</i>	20	20	20	20
<i>Shuttlecraft —</i>	5	5	5	5

Engines And Power Data:

<i>Total Power Units Available —</i>	59	59	62	62
<i>Movement Point Ratio —</i>	3/1	3/1	3/1	3/1
<i>Warp Engine Type —</i>	KWC-2	KWC-2	KWC-2	KWC-2
Number —	2	2	2	2
Power Units Available —	18 ea.	18 ea.	18 ea.	18 ea.
Stress Chart —	L/O	L/O	L/O	L/O
Maximum Safe Cruising Speed —	Warp 8	Warp 8	Warp 8	Warp 8
Emergency Speed —	Warp 9	Warp 9	Warp 9	Warp 9
<i>Impulse Engine Type —</i>	KIF-2	KIF-2	KIK-1	KIK-1
Power Units Available —	23	23	26	26

Weapons And Firing Data:

<i>Beam Weapon Type —</i>	KD-8	KD-17	KD-25	KD-25
Number —	8	8	8	8
Firing Arcs —	2 f/p, 2 f, 2 f/s, 1 p/a, 1 s/a	2 f/p, 2 f, 2 f/s, 1 p/a, 1 s/a	2 f/p, 2 f, 2 f/s, 1 p/a, 1 s/a	2 f/p, 2 f, 2 f/s, 1 p/a, 1 s/a
Firing Chart —	U	X	Y	Y
Maximum Power —	7	9	12	12
Damage Modifiers —				
+3	(1-7)	(1-12)	(1-7)	(1-7)
+2	(8-15)	(13-17)	(8-14)	(8-14)
+1	(16-20)	(18-22)	(15-20)	(15-20)
<i>Missile Weapon Type —</i>	KP-8	KP-11	KP-16	KP-17
Number —	2	2	2	2
Firing Arcs —	1 f, 1 a	1 f, 1 a	1 f, 1 a	1 f, 1 a
Firing Chart —	S	R	Q	R
Power To Arm —	2	1	2	2
Damage —	24	26	36	38

Shield Data:


<i>Deflector Shield Type —</i>	KSP	KSS	KNSB	KNSH
Shield Point Ratio —	1/3	1/3	1/4	1/4
Maximum Shield Power —	15	26	38	50

Combat Efficiency:

<i>D —</i>	153.6	175.8	229.2	252.9
<i>WDF —</i>	78.8	102.8	136.2	142.0



D-101 (OBSTRUCTER) CLASS X HEAVY CRUISER



Construction Data:

<i>Model Numbers —</i>	Variant-1	Variant-2	Variant-3	Variant-4
<i>Ship Class —</i>	X	X	X	X
<i>Date Entering Service —</i>	2293-2316	2318-2343	2344-2357	2358-2360
<i>Number Constructed —</i>	1	Refit	Refit	Refit

Hull Data:

<i>Superstructure Points —</i>	32	32	32	31
<i>Damage Chart —</i>	C	C	C	C
<i>Size:</i>				
Length —	264.0 m	264.0 m	264.0 m	264.0 m
Width —	157.0 m	157.0 m	157.0 m	157.0 m
Height —	30.0 m	30.0 m	30.0 m	30.0 m
Displacement —	158,420 mt	157,845 mt	157,795 mt	158,720 mt
<i>Cargo:</i>				
Cargo Units —	320 SCU	320 SCU	320 SCU	320 SCU
Cargo Capacity —	16,000 mt	16,000 mt	16,000 mt	16,000 mt
Landing Capacity —	None	None	None	None

Equipment Data:

<i>Control Computer Type —</i>	ZD-9	ZD-9	ZI-3	ZI-4
<i>Transporters:</i>				
standard 6-person —	4	4	4	4
emergency 22-person —	4	4	4	4
cargo —	2	2	2	2
<i>Cloaking Device Type:</i>	KCD	KCD	KCD	KCD
<i>Power Requirements —</i>	48	48	48	48

Other Data:

<i>Crew —</i>	294	294	294	294
<i>Troops —</i>	0	0	0	0
<i>Passengers —</i>	25	25	25	25
<i>Shuttlecraft —</i>	8	8	8	8

Engines And Power Data:

<i>Total Power Units Available —</i>	63	63	63	63
<i>Movement Point Ratio —</i>	4/1	4/1	4/1	4/1
<i>Warp Engine Type —</i>	KWE-3	KWE-3	KWE-3	KWE-3
Number —	2	2	2	2
Power Units Available —	20 ea.	20 ea.	20 ea.	20 ea.
Stress Chart —	J/M	J/M	J/M	J/M
Maximum Safe Cruising Speed —	Warp 7	Warp 7	Warp 7	Warp 7
Emergency Speed —	Warp 8	Warp 8	Warp 8	Warp 8
<i>Impulse Engine Type —</i>	KIF-2	KIF-2	KIF-2	KIF-2
Power Units Available —	23	23	23	23

Weapons And Firing Data:

<i>Beam Weapon Type —</i>	KD-13	KD-17	KD-17	KD-17
Number —	10	10	10	10
Firing Arcs —	2 f/p, 2 f, 2 f/s, 4 a	2 f/p, 2 f, 2 f/s, 4 a	2 f/p, 2 f, 2 f/s, 4 a	2 f/p, 2 f, 2 f/s, 4 a
Firing Chart —	X	X	X	X
Maximum Power —	5	9	9	9
Damage Modifiers —				
+3	(1-7)	(1-12)	(1-12)	(1-12)
+2	(8-15)	(13-17)	(13-17)	(13-17)
+1	(16-22)	(18-22)	(18-22)	(18-22)
<i>Missile Weapon Type —</i>	KP-6	KP-8	KP-16	KP-17
Number —	2	2	2	2
Firing Arcs —	1 f, 1 a	1 f, 1 a	1 f, 1 a	1 f, 1 a
Firing Chart —	R	S	Q	R
Power To Arm —	2	2	2	2
Damage —	20	24	36	38

Shield Data:


<i>Deflector Shield Type —</i>	KSP	KSS	KST	KNSC
Shield Point Ratio —	1/3	1/3	1/3	1/3
Maximum Shield Power —	15	26	32	52

Combat Efficiency:

<i>D —</i>	132.8	149.3	156.8	185.3
<i>WDF —</i>	78.6	120.0	129.4	135.2




D-19A (ASSAULTER) CLASS VIII LIGHT CRUISER



Construction Data:			
Model Numbers —	Variant-1	Variant-2	Variant-3
Ship Class —	VIII	VIII	VIII
Date Entering Service —	2267-2296	2300-2338	2339-2350
Number Constructed —	1	Refit	Refit
Hull Data:			
Superstructure Points —	30	30	30
Damage Chart —	C	C	C
Size:			
Length —	234.0 m	234.0 m	234.0 m
Width —	250.0 m	250.0 m	250.0 m
Height —	34.0 m	34.0 m	34.0 m
Displacement —	106,774 mt	110,250 mt	112,665 mt
Cargo:			
Cargo Units —	373 SCU	373 SCU	373 SCU
Cargo Capacity —	18,650 mt	18,650 mt	18,650 mt
Landing Capacity —	None	None	None
Equipment Data:			
Control Computer Type —	ZD-5	ZD-6	ZD-6
Transporters:			
standard 6-person —	2	2	2
combat 22-person —	7	7	7
emergency 22-person —	3	3	3
cargo —	3	3	3
Cloaking Device Type:	-	-	KCC
Power Requirements —	-	-	32
Other Data:			
Crew —	214	214	214
Troops —	120	120	120
Passengers —	30	30	30
Shuttlecraft —	6	6	6
Engines And Power Data:			
Total Power Units Available —	46	46	59
Movement Point Ratio —	3/1	3/1	3/1
Warp Engine Type —	KWVC-2	KWVC-2	KWVC-2
Number —	2	2	2
Power Units Available —	18 ea.	18 ea.	18 ea.
Stress Chart —	L/O	L/O	L/O
Maximum Safe Cruising Speed —	Warp 8	Warp 8	Warp 8
Emergency Speed —	Warp 9	Warp 9	Warp 9
Impulse Engine Type —	OID-3	OID-3	KIF-2
Power Units Available —	10	10	23
Weapons And Firing Data:			
Beam Weapon Type —	KD-5	KD-6	KD-8
Number —	4	4	4
Firing Arcs —	1 f/p, 1 f/s, 2 a	1 f/p, 1 f/s, 2 a	1 f/p, 1 f/s, 2 a
Firing Chart —	P	T	U
Maximum Power —	4	6	7
Damage Modifiers —			
+3	(-)	(-)	(1-7)
+2	(1-10)	(1-18)	(8-15)
+1	(11-18)	(-)	(16-20)
Beam Weapon Type —	KD-6	KD-8	KD-15
Number —	2	2	2
Firing Arcs —	2 f	2 f	2 f
Firing Chart —	T	U	T
Maximum Power —	6	7	10
Damage Modifiers —			
+3	(-)	(1-7)	(-)
+2	(1-18)	(8-15)	(1-18)
+1	(-)	(16-20)	(-)
Missile Weapon Type —	NAC-8	KP-8	KP-16
Number —	1	1	1
Firing Arcs —	1 f	1 f	1 f
Firing Chart —	O	S	Q
Power To Arm —	9	2	2
Damage —	28	24	36
Shield Data:			
Deflector Shield Type —	KSD	KSP	KST
Shield Point Ratio —	1/2	1/3	1/3
Maximum Shield Power —	8	15	32
Combat Efficiency:			
D —	98.9	129.9	171.9
WDF —	36.7	47.6	59.5




D-200 (OFFENDER) CLASS VII LIGHT CRUISER



Construction Data:			
<i>Model Numbers</i> —	Variant-1	Variant-2	Variant-3
<i>Ship Class</i> —	VII	VII	VII
<i>Date Entering Service</i> —	2280-2315	2316-2346	2344-2378
<i>Number Constructed</i> —	1	Refit	Refit
Hull Data:			
<i>Superstructure Points</i> —	22	24	24
<i>Damage Chart</i> —	C	C	C
<i>Size:</i>			
Length —	160.0 m	160.0 m	160.0 m
Width —	110.0 m	110.0 m	110.0 m
Height —	24.0 m	24.0 m	24.0 m
Displacement —	98,720 mt	99,670 mt	98,320 mt
<i>Cargo:</i>			
Cargo Units —	200 SCU	200 SCU	200 SCU
Cargo Capacity —	10,000 mt	10,000 mt	10,000 mt
<i>Landing Capacity</i> —	None	None	None
Equipment Data:			
<i>Control Computer Type</i> —	ZD-6	ZD-6	ZI-2
<i>Transporters:</i>			
standard 6-person —	3	3	3
combat 22-person —	4	4	4
emergency 22-person —	1	1	1
cargo —	2	2	2
<i>Cloaking Device Type:</i>	-	KCC	KCC
<i>Power Requirements</i> —	-	32	32
Other Data:			
<i>Crew</i> —	185	185	185
<i>Troops</i> —	120	120	120
<i>Passengers</i> —	10	10	10
<i>Shuttlecraft</i> —	4	4	4
Engines And Power Data:			
<i>Total Power Units Available</i> —	64	64	64
<i>Movement Point Ratio</i> —	3/1	3/1	3/1
<i>Warp Engine Type</i> —			
Number —	KWVC-3	KWVC-3	KWVC-3
Power Units Available —	2	2	2
Stress Chart —	23 ea.	23 ea.	23 ea.
Maximum Safe Cruising Speed —	L/O	L/O	L/O
Emergency Speed —	Warp 8	Warp 8	Warp 8
<i>Impulse Engine Type</i> —	Warp 9	Warp 9	Warp 9
Power Units Available —	KIE-3	KIE-3	KIE-3
	18	18	18
Weapons And Firing Data:			
<i>Beam Weapon Type</i> —			
Number —	KD-8	KD-16	KD-30
Firing Arcs —	5	5	5
Firing Chart —	2 f/p, 2 f/s, 1 a	2 f/p, 2 f/s, 1 a	2 f/p, 2 f/s, 1 a
Maximum Power —	U	Y	Y
Damage Modifiers —	7	6	10
+3	(1-7)	(1-9)	(1-9)
+2	(8-15)	(10-17)	(10-18)
+1	(16-20)	(18-22)	(19-24)
<i>Missile Weapon Type</i> —			
Number —	KP-6	KP-11	KP-11
Firing Arcs —	1	1	1
Firing Chart —	1 f	1 f	1 f
Power To Arm —	R	R	R
Damage —	1	1	1
	20	26	26
Shield Data:			
<i>Deflector Shield Type</i> —			
Shield Point Ratio —	KSO	KSO	KNSA
Maximum Shield Power —	1/2	1/2	1/2
	15	15	44
Combat Efficiency:			
<i>D</i> —	113.5	116.3	157.3
<i>WDF</i> —	42.3	50.9	68.9



D-22A (CHARGER) CLASS VII ATTACK CRUISER



Construction Data:

<i>Model Numbers —</i>	Variant-1	Variant-2	Variant-3	Variant-4
<i>Ship Class —</i>	VII	VII	VII	VII
<i>Date Entering Service —</i>	2272-2298	2299-2329	2331-2343	2345-2378
<i>Number Constructed —</i>	1	Refit	Refit	Refit

Hull Data:

<i>Superstructure Points —</i>	24	24	24	24
<i>Damage Chart —</i>	C	C	C	C
<i>Size:</i>				
Length —	200.0 m	200.0 m	200.0 m	200.0 m
Width —	236.0 m	236.0 m	236.0 m	236.0 m
Height —	48.0 m	48.0 m	48.0 m	48.0 m
Displacement —	97,515 mt	99,660 mt	99,715 mt	98,600 mt
<i>Cargo:</i>				
Cargo Units —	25 SCU	25 SCU	25 SCU	25 SCU
Cargo Capacity —	1,250 mt	1,250 mt	1,250 mt	1,250 mt
Landing Capacity —	None	None	None	None

Equipment Data:

<i>Control Computer Type —</i>	ZD-5	ZD-6	ZD-6	ZI-2
<i>Transporters:</i>				
standard 6-person —	2	2	2	2
emergency 22-person —	1	1	1	1
cargo —	1	1	1	1
<i>Cloaking Device Type:</i>	-	-	KCC	KCC
<i>Power Requirements —</i>	-	-	32	32

Other Data:

<i>Crew —</i>	118	118	118	118
<i>Passengers —</i>	5	5	5	5
<i>Shuttlecraft —</i>	1	1	1	1

Engines And Power Data:

<i>Total Power Units Available —</i>	46	54	54	54
<i>Movement Point Ratio —</i>	3/1	3/1	3/1	3/1
<i>Warp Engine Type —</i>	KWC-1	KWC-2	KWC-2	KWC-2
Number —	2	2	2	2
Power Units Available —	14 ea.	18 ea.	18 ea.	18 ea.
Stress Chart —	L/O	L/O	L/O	L/O
Maximum Safe Cruising Speed —	Warp 7	Warp 8	Warp 8	Warp 8
Emergency Speed —	Warp 8	Warp 9	Warp 9	Warp 9
<i>Impulse Engine Type —</i>	KIE-3	KIE-3	KIE-3	KIE-3
Power Units Available —	18	18	18	18

Weapons And Firing Data:

<i>Beam Weapon Type —</i>	OD-12	KD-17	KD-17	KD-26
Number —	4	4	4	4
Firing Arcs —	2 f/p, 2 f/s	2 f/p, 2 f/s	2 f/p, 2 f/s	2 f/p, 2 f/s
Firing Chart —	W	X	X	Y
Maximum Power —	5	9	9	13
<i>Damage Modifiers —</i>				
+3	(1-7)	(1-12)	(1-12)	(1-7)
+2	(8-15)	(13-17)	(13-17)	(8-10)
+1	(16-20)	(18-22)	(18-22)	(11-24)
<i>Missile Weapon Type —</i>	KP-3	KP-8	KP-11	KP-16
Number —	1	1	1	1
Firing Arcs —	1 f	1 f	1 f	1 f
Firing Chart —	R	S	R	Q
Power To Arm —	2	2	1	2
Damage —	15	24	26	36

Shield Data:


<i>Deflector Shield Type —</i>	KSK	KSP	KST	KSX
Shield Point Ratio —	1/2	1/3	32	1/4
Maximum Shield Power —	13	15	32	32

Combat Efficiency:

<i>D —</i>	96.3	131.8	155.8	182.3
<i>WDF —</i>	31.0	51.0	51.4	71.7




D-29A (WARSEEKER) CLASS X HEAVY BATTLECRUISER



Construction Data:	Variant-1	Variant-2	Variant-3	Variant-4	Variant-5
<i>Model Numbers —</i>	X	X	X	X	X
<i>Ship Class —</i>	2274-2313	2314-2340	2341-2352	2353-2364	2366-2373
<i>Date Entering Service —</i>	1	Refit	Refit	Refit	Refit
<i>Number Constructed —</i>					
Hull Data:					
<i>Superstructure Points —</i>	32	32	32	32	32
<i>Damage Chart —</i>	C	C	C	C	C
<i>Size:</i>					
Length —	275.0 m	275.0 m	275.0 m	275.0 m	275.0 m
Width —	220.0 m	220.0 m	220.0 m	220.0 m	220.0 m
Height —	35.0 m	35.0 m	35.0 m	35.0 m	35.0 m
Displacement —	158,350 mt	157,705 mt	157,430 mt	157,070 mt	158,855 mt
<i>Cargo:</i>					
Cargo Units —	2,000 SCU	2,000 SCU	2,000 SCU	2,000 SCU	2,000 SCU
Cargo Capacity —	100,000 mt	100,000 mt	100,000 mt	100,000 mt	100,000 mt
Landing Capacity —	None	None	None	None	None
Equipment Data:					
<i>Control Computer Type —</i>	ZD-7	ZD-9	ZD-9	ZI-3	ZI-3
<i>Transporters:</i>					
standard 6-person —	8	8	8	8	8
combat 22-person —	10	10	10	10	10
emergency 22-person —	4	4	4	4	4
cargo —	12	12	12	12	12
<i>Cloaking Device Type:</i>	KCD	KCD	KCD	KCD	KCD
<i>Power Requirements —</i>	48	48	48	48	48
Other Data:					
<i>Crew —</i>	295	295	295	295	295
<i>Troops —</i>	360	360	360	360	360
<i>Passengers —</i>	5	5	5	5	5
<i>Shuttlecraft —</i>	22	22	22	22	22
Engines And Power Data:					
<i>Total Power Units Available —</i>	52	63	63	63	66
<i>Movement Point Ratio —</i>	4/1	4/1	4/1	4/1	4/1
<i>Warp Engine Type —</i>	KWE-3	KWE-3	KWE-3	KWE-3	KWE-3
Number —	2	2	2	2	2
Power Units Available —	20 ea.	20 ea.	20 ea.	20 ea.	20 ea.
Stress Chart —	J/M	J/M	J/M	J/M	J/M
Maximum Safe Cruising Speed —	Warp 7	Warp 7	Warp 7	Warp 7	Warp 7
Emergency Speed —	Warp 8	Warp 8	Warp 8	Warp 8	Warp 8
<i>Impulse Engine Type —</i>	KIE-2	KIF-2	KIF-2	KIF-2	KIK-1
Power Units Available —	12	23	23	23	26
Weapons And Firing Data:					
<i>Beam Weapon Type —</i>	KD-8	KD-17	KD-17	KD-17	KD-17
Number —	6	6	6	6	6
Firing Arcs —	2 f/p, 2 f, 2 f/s	2 f/p, 2 f, 2 f/s	2 f/p, 2 f, 2 f/s	2 f/p, 2 f, 2 f/s	2 f/p, 2 f, 2 f/s
Firing Chart —	U	X	X	X	X
Maximum Power —	7	9	9	9	9
Damage Modifiers —					
+3	(1-7)	(1-12)	(1-12)	(1-12)	(1-12)
+2	(8-15)	(13-17)	(13-17)	(13-17)	(13-17)
+1	(16-20)	(18-22)	(18-22)	(18-22)	(18-22)
<i>Missile Weapon Type —</i>	KP-4	KP-8	KP-11	KP-11	KP-16
Number —	4	4	4	4	4
Firing Arcs —	2 f, 2 a	2 f, 2 a	2 f, 2 a	2 f, 2 a	2 f, 2 a
Firing Chart —	Q	S	R	R	Q
Power To Arm —	2	2	1	1	2
Damage —	18	24	26	26	36
Shield Data:					
<i>Deflector Shield Type —</i>	KSL	KSS	KSY	KSZ	KNSI
Shield Point Ratio —	1/3	1/3	1/3	1/3	1/3
Maximum Shield Power —	14	26	35	50	57
Combat Efficiency:					
<i>D —</i>	119.3	149.3	161.3	183.8	195.8
<i>WDF —</i>	75.8	114.0	115.6	115.6	132.8



D-35A (WARCRAFTER) CLASS XI HEAVY CRUISER



Construction Data:

Model Numbers —	Variant-1	Variant-2	Variant-3	Variant-4	Variant-5
Ship Class —	XI	XI	XI	XI	XI
Date Entering Service —	2294-2315	2316-2332	2333-2345	2346-2362	2363-2378
Number Constructed —	1	Refit	Refit	Refit	Refit

Hull Data:

Superstructure Points —	60	60	60	60	60
Damage Chart —	C	C	C	C	C
Size:					
Length —	232.0 m	232.0 m	232.0 m	232.0 m	232.0 m
Width —	164.0 m	164.0 m	164.0 m	164.0 m	164.0 m
Height —	54.0 m	54.0 m	54.0 m	54.0 m	54.0 m
Displacement —	168,810 mt	169,225 mt	169,320 mt	164,475 mt	164,915 mt
Cargo:					
Cargo Units —	560 SCU	560 SCU	560 SCU	560 SCU	560 SCU
Cargo Capacity —	28,000 mt	28,000 mt	28,000 mt	28,000 mt	28,000 mt
Landing Capacity —	None	None	None	None	None

Equipment Data:

Control Computer Type —	ZD-8	ZD-8	ZD-8	ZI-4	ZI-4
Transporters:					
standard 6-person —	3	3	3	3	3
combat 22-person —	3	3	3	3	3
emergency 22-person —	4	4	4	4	4
cargo —	5	5	5	5	5
Cloaking Device Type:	KCD	KCD	KCD	KCD	KCD
Power Requirements —	48	48	48	48	48

Other Data:

Crew —	314	314	314	314	314
Troops —	110	110	110	110	110
Passengers —	40	40	40	40	40
Shuttlecraft —	12	12	12	12	12

Engines And Power Data:

Total Power Units Available —	59	59	62	66	66
Movement Point Ratio —	4/1	4/1	4/1	4/1	4/1
Warp Engine Type —	KWC-2	KWC-2	KWC-2	KWC-2	KWC-2
Number —	2	2	2	2	2
Power Units Available —	18 ea.	18 ea.	18 ea.	18 ea.	18 ea.
Stress Chart —	L/O	L/O	L/O	L/O	L/O
Maximum Safe Cruising Speed —	Warp 7	Warp 7	Warp 7	Warp 7	Warp 7
Emergency Speed —	Warp 8	Warp 8	Warp 8	Warp 8	Warp 8
Impulse Engine Type —	KIF-2	KIF-2	KIK-1	KIK-2	KIK-2
Power Units Available —	23	23	26	30	30

Weapons And Firing Data:

Beam Weapon Type —	KD-9	KD-9	KD-9	KD-16	KD-16
Number —	19	19	19	19	19
Firing Arcs —	3 p/f/s, 3 f/p, 2 f, 3 f/s, 2 f/p/a, 2 f/s/a, 2 p/a, 2 s/a	3 p/f/s, 3 f/p, 2 f, 3 f/s, 2 f/p/a, 2 f/s/a, 2 p/a, 2 s/a	3 p/f/s, 3 f/p, 2 f, 3 f/s, 2 f/p/a, 2 f/s/a, 2 p/a, 2 s/a	3 p/f/s, 3 f/p, 2 f, 3 f/s, 2 f/p/a, 2 f/s/a, 2 p/a, 2 s/a	3 p/f/s, 3 f/p, 2 f, 3 f/s, 2 f/p/a, 2 f/s/a, 2 p/a, 2 s/a
Firing Chart —	W	W	W	Y	Y
Maximum Power —	5	5	5	6	6
Damage Modifiers —					
+3	(1-7)	(1-7)	(1-7)	(1-9)	(1-9)
+2	(8-15)	(8-15)	(8-15)	(10-17)	(10-17)
+1	(16-20)	(16-20)	(16-20)	(18-22)	(18-22)
Missile Weapon Type —	KP-3	KP-8	KP-12	KP-18	KP-19
Number —	2	2	2	2	2
Firing Arcs —	1 f, 1 a	1 f, 1 a	1 f, 1 a	1 f, 1 a	1 f, 1 a
Firing Chart —	R	S	P	S	Q
Power To Arm —	2	2	2	1	2
Damage —	15	24	28	25	32

Shield Data:


Deflector Shield Type —	KSQ	KSS	KSS	KSZ	KSZ
Shield Point Ratio —	1/3	1/3	1/3	1/3	1/3
Maximum Shield Power —	20	26	26	50	50

Combat Efficiency:

D —	175.8	186.3	189.3	229.8	229.8
WDF —	122.5	134.5	135.1	166.1	169.9




D-55A (DEATHMONGER) CLASS X HEAVY BATTLECRUISER



Construction Data:	Variant-1	Variant-2	Variant-3	Variant-4
<i>Model Numbers —</i>	X	X	X	X
<i>Ship Class —</i>	X	X	X	X
<i>Date Entering Service —</i>	2266-2299	2300-2336	2337-2352	2353-2378
<i>Number Constructed —</i>	1	Refit	Refit	Refit
Hull Data:				
<i>Superstructure Points —</i>	33	33	33	33
<i>Damage Chart —</i>	C	C	C	C
<i>Size:</i>				
Length —	338.1 m	338.1 m	338.1 m	338.1 m
Width —	185.5 m	185.5 m	185.5 m	185.5 m
Height —	51.3 m	51.3 m	51.3 m	51.3 m
Displacement —	152,755 mt	158,300 mt	159,695 mt	159,950 mt
<i>Cargo:</i>				
Cargo Units —	371 SCU	371 SCU	371 SCU	371 SCU
Cargo Capacity —	18,550 mt	18,550 mt	18,550 mt	18,550 mt
Landing Capacity —	None	None	None	None
Equipment Data:				
<i>Control Computer Type —</i>	ZD-5	ZD-7	ZD-9	ZI-3
<i>Transporters:</i>				
standard 6-person —	3	3	3	3
combat 22-person —	2	2	2	2
emergency 22-person —	2	2	2	2
cargo —	3	3	3	3
<i>Cloaking Device Type:</i>	-	-	KCD	KCD
<i>Power Requirements —</i>	-	-	48	48
Other Data:				
Crew —	297	297	297	297
Troops —	66	66	66	66
Passengers —	20	20	20	20
Shuttlecraft —	5	5	5	5
Engines And Power Data:				
<i>Total Power Units Available —</i>	48	52	52	63
<i>Movement Point Ratio —</i>	4/1	4/1	4/1	4/1
<i>Warp Engine Type —</i>	KWE-2	KWE-3	KWE-3	KWE-3
Number —	2	2	2	2
Power Units Available —	18 ea.	20 ea.	20 ea.	20 ea.
Stress Chart —	J/M	J/M	J/M	J/M
Maximum Safe Cruising Speed —	Warp 7	Warp 7	Warp 7	Warp 7
Emergency Speed —	Warp 8	Warp 8	Warp 8	Warp 8
<i>Impulse Engine Type —</i>	KIE-2	KIE-2	KIE-2	KIF-2
Power Units Available —	12	12	12	23
Weapons And Firing Data:				
<i>Beam Weapon Type —</i>	KD-5	KD-13	KD-17	KD-17
Number —	4	4	4	6
Firing Arcs —	1 f/p, 1 f/s, 1 p, 1 s	1 f/p, 1 f/s, 1 p, 1 s	1 f/p, 1 f/s, 1 p, 1 s	1 f/p, 2 f, 1 f/s, 1 p, 1 s
Firing Chart —	P	X	X	X
Maximum Power —	4	5	9	9
Damage Modifiers —				
+3	(-)	(1-7)	(1-12)	(1-12)
+2	(1-10)	(8-15)	(13-17)	(13-17)
+1	(11-18)	(16-22)	(18-22)	(18-22)
<i>Beam Weapon Type —</i>	KD-3	KD-7	KD-16	KD-26
Number —	3	3	3	3
Firing Arcs —	1 f, 1 p/a, 1 s/a	1 f, 1 p/a, 1 s/a	1 f, 1 p/a, 1 s/a	1 f, 1 p/a, 1 s/a
Firing Chart —	I	L	Y	Y
Maximum Power —	5	7	6	13
Damage Modifiers —				
+3	(-)	(-)	(1-9)	(1-7)
+2	(-)	(1-6)	(10-17)	(8-10)
+1	(1-12)	(7-12)	(18-22)	(11-24)
<i>Beam Weapon Type —</i>	KD-8	KD-8	KD-18	-
Number —	2	2	2	-
Firing Arcs —	2 f	2 f	2 f	-
Firing Chart —	U	U	U	-
Maximum Power —	7	7	11	-
Damage Modifiers —				
+3	(1-7)	(1-7)	(1-7)	-
+2	(8-15)	(8-15)	(8-15)	-
+1	(16-20)	(16-20)	(16-20)	-
<i>Missile Weapon Type —</i>	OP-1	KP-6	KP-14	KP-16
Number —	2	2	2	2
Firing Arcs —	1 f, 1 a	1 f, 1 a	1 f, 1 a	1 f, 1 a
Firing Chart —	L	R	L	Q
Power To Arm —	1	2	2	2
Damage —	10	20	34	36
Shield Data:				
<i>Deflector Shield Type —</i>	KSK	KSO	KSS	KNSB
Shield Point Ratio —	1/2	1/2	1/3	1/4
Maximum Shield Power —	11	15	26	37
Combat Efficiency: D / WDF —	97.2 / 39.6	105.2 / 69.2	138.7 / 104.7	187.2 / 132.4




D-101E (MAELSTROM) CLASS X ARMORED CRUISER



Construction Data:		
<i>Model Numbers —</i>	Variant-1	Variant-2
<i>Ship Class —</i>	X	X
<i>Date Entering Service —</i>	2287-2337	2339-2350
<i>Number Constructed —</i>	1	Refit
Hull Data:		
<i>Superstructure Points —</i>	32	32
<i>Damage Chart —</i>	B	B
<i>Size:</i>		
Length —	251.0 m	251.0 m
Width —	147.7 m	147.7 m
Height —	44.6 m	44.6 m
Displacement —	157,990 mt	158,870 mt
<i>Cargo:</i>		
Cargo Units —	412 SCU	412 SCU
Cargo Capacity —	20,600 mt	20,600 mt
Landing Capacity —	None	None
Equipment Data:		
<i>Control Computer Type —</i>	ZD-7	ZD-9
<i>Transporters:</i>		
standard 6-person —	3	3
emergency 22-person —	2	2
cargo —	2	2
<i>Cloaking Device Type:</i>	-	KCD
<i>Power Requirements —</i>	-	48
Other Data:		
<i>Crew —</i>	293	293
<i>Troops —</i>	110	110
<i>Passengers —</i>	15	15
<i>Shuttlecraft —</i>	6	6
Engines And Power Data:		
<i>Total Power Units Available —</i>	59	59
<i>Movement Point Ratio —</i>	4/1	4/1
<i>Warp Engine Type —</i>		
Number —	KWE-2	KWE-2
Power Units Available —	2	2
Stress Chart —	18 ea.	18 ea.
Maximum Safe Cruising Speed —	J/M	J/M
Emergency Speed —	Warp 7	Warp 7
<i>Impulse Engine Type —</i>	Warp 8	Warp 8
Power Units Available —	KIF-2	KIF-2
	23	23
Weapons And Firing Data:		
<i>Beam Weapon Type —</i>		
Number —	KD-16	KD-18
Firing Arcs —	4	4
Firing Chart —	1 f/p, 1 f/s, 1 p, 1 s	1 f/p, 1 f/s, 1 p, 1 s
Maximum Power —	Y	U
Damage Modifiers —	6	11
+3	(1-9)	(1-7)
+2	(10-17)	(8-15)
+1	(18-22)	(16-20)
<i>Beam Weapon Type —</i>		
Number —	KD-8	KD-17
Firing Arcs —	6	6
Firing Chart —	2 f, 2 p/a, 2 s/a	2 f, 2 p/a, 2 s/a
Maximum Power —	U	X
Damage Modifiers —	7	9
+3	(1-7)	(1-12)
+2	(8-15)	(13-17)
+1	(16-20)	(18-22)
<i>Missile Weapon Type —</i>		
Number —	KP-5	KP-11
Firing Arcs —	2	2
Firing Chart —	1 f, 1 a	1 f, 1 a
Power To Arm —	Q	R
Damage —	1	1
	10	26
Shield Data:		
<i>Deflector Shield Type —</i>	KSP	KSX
Shield Point Ratio —	1/3	1/4
Maximum Shield Power —	15	32
Combat Efficiency:		
<i>D —</i>	129.8	175.8
<i>WDF —</i>	76.0	120.0



D-125C (DECEIVER) CLASS VIII TROOP CRUISER



Construction Data:	
Model Numbers —	Variant-1
Ship Class —	VIII
Date Entering Service —	2272-2285
Number Constructed —	1
Hull Data:	
Superstructure Points —	22
Damage Chart —	C
Size:	
Length —	227.0 m
Width —	91.0 m
Height —	68.0 m
Displacement —	118,370 mt
Cargo:	
Cargo Units —	550 SCU
Cargo Capacity —	27,500 mt
Landing Capacity —	None
Equipment Data:	
Control Computer Type —	ZD-6
Transporters:	
standard 6-person —	6
combat 22-person —	8
emergency 22-person —	6
cargo —	4
Other Data:	
Crew —	338
Troops —	480
Passengers —	20
Shuttlecraft —	16
Engines And Power Data:	
Total Power Units Available —	49
Movement Point Ratio —	3/1
Warp Engine Type —	KWF-1
Number —	2
Power Units Available —	16 ea.
Stress Chart —	H/J
Maximum Safe Cruising Speed —	Warp 8
Emergency Speed —	Warp 9
Impulse Engine Type —	KIF-1
Power Units Available —	17
Weapons And Firing Data:	
Beam Weapon Type —	KD-6
Number —	4
Firing Arcs —	1 f/p, 1 f, 1 f/s, 1 a
Firing Chart —	T
Maximum Power —	6
Damage Modifiers —	
+3	(-)
+2	(1-18)
+1	(-)
Beam Weapon Type —	KD-7
Number —	3
Firing Arcs —	1 p, 1 s, 1 a
Firing Chart —	L
Maximum Power —	7
Damage Modifiers —	
+3	(-)
+2	(1-6)
+1	(7-12)
Missile Weapon Type —	KP-6
Number —	1
Firing Arcs —	1 f
Firing Chart —	R
Power To Arm —	2
Damage —	20
Shield Data:	
Deflector Shield Type —	KSP
Shield Point Ratio —	1/3
Maximum Shield Power —	15
Combat Efficiency:	
D —	121.5
WDF —	43.6

NOTES:

Known Sphere Of Operation: Triangle; Federation and Romulan Border

Data Reliability: D

Major Data Source: Triangle Sector Intelligence


The *Deceiver* joined the IKS after numerous negative reports against the vessel and it's activities. Often disobeying orders and operating well outside it's purview, the officers learned of a censure and possible dismissal several weeks before the vessel was due to return to port. Fearing discommendation or worse, the crew convinced the Marine commander to join them and the vessel departed Empire.

Once part of the IKS, the officer continued their head-strong and often reckless activities. Time and again the vessel conducted unauthorized attacks, even against allies and those sympathetic to the IKS. By the 2280, the *Deceiver* had drawn far too much attention to the IKS.

In 2285, IKS leadership had finally had enough and sent the *Deceiver* to attack a Romulan listening post. Seemingly blinded by potential glory, the commander of the *Deceiver* attacked, unaware that the IKS had warned the Romulans. Despite being clearly outgunned three-to-one, the ship pressed the attack and was quickly destroyed.




PEGASUS (SLAVE OF SWIFTFNESS) CLASS X CRUISER



Construction Data:	Variant-1	Variant-2	Variant-3	Variant-4
<i>Model Numbers —</i>	X	X	X	X
<i>Ship Class —</i>	2295-2324	2325-2339	2342-2359	2362-2378
<i>Date Entering Service —</i>	1	Refit	Refit	Refit
<i>Number Constructed —</i>				
Hull Data:				
<i>Superstructure Points —</i>	30	30	32	34
<i>Damage Chart —</i>	C	C	C	C
<i>Size:</i>				
Length —	247.0 m	247.0 m	247.0 m	247.0 m
Width —	186.0 m	186.0 m	186.0 m	186.0 m
Height —	52.0 m	52.0 m	52.0 m	52.0 m
Displacement —	151,938 mt	152,128 mt	155,403 mt	159,148 mt
<i>Cargo:</i>				
Cargo Units —	260 SCU	260 SCU	260 SCU	260 SCU
Cargo Capacity —	13,000 mt	13,000 mt	13,000 mt	13,000 mt
Landing Capacity —	None	None	None	None
Equipment Data:				
<i>Control Computer Type —</i>	ZD-7	ZD-7	ZD-9	ZI-3
<i>Transporters:</i>				
standard 6-person —	4	4	4	4
emergency 22-person —	3	3	3	3
cargo —	3	3	3	3
Other Data:				
<i>Crew —</i>	269	269	269	269
<i>Troops —</i>	44	44	44	44
<i>Passengers —</i>	5	5	5	5
<i>Shuttlecraft —</i>	4	4	4	4
Engines And Power Data:				
<i>Total Power Units Available —</i>	56	56	56	56
<i>Movement Point Ratio —</i>	3/1	3/1	3/1	3/1
<i>Warp Engine Type —</i>	KWE-3	KWE-3	KWE-3	KWE-3
Number —	2	2	2	2
Power Units Available —	20 ea.	20 ea.	20 ea.	20 ea.
Stress Chart —	J/M	J/M	J/M	J/M
Maximum Safe Cruising Speed —	Warp 8	Warp 8	Warp 8	Warp 8
Emergency Speed —	Warp 10	Warp 10	Warp 10	Warp 10
<i>Impulse Engine Type —</i>	FIF-2	FIF-2	FIF-2	FIF-2
Power Units Available —	16	16	16	16
Weapons And Firing Data:				
<i>Beam Weapon Type —</i>	FH-10	FH-10	KD-17	KD-17
Number —	4	4	6	6
Firing Arcs —	2 f, 2 p/a	2 f, 2 p/a	2 f, 2 p/a, 2 s/a	2 f, 2 p/a, 2 s/a
Firing Chart —	W	W	X	X
Maximum Power —	7	7	9	9
Damage Modifiers —				
+3	(1-10)	(1-10)	(1-12)	(1-12)
+2	(11-17)	(11-17)	(13-17)	(13-17)
+1	(18-20)	(18-20)	(18-22)	(18-22)
<i>Beam Weapon Type —</i>	KD-8	KD-8	-	-
Number —	2	2	-	-
Firing Arcs —	2 s/a	2 s/a	-	-
Firing Chart —	U	U	-	-
Maximum Power —	7	7	-	-
Damage Modifiers —				
+3	(1-7)	(1-7)	-	-
+2	(8-15)	(8-15)	-	-
+1	(16-20)	(16-20)	-	-
<i>Missile Weapon Type —</i>	KP-6	KP-11	KP-11	KP-17
Number —	2	2	2	2
Firing Arcs —	1 f/p, 1 f/s	1 f/p, 1 f/s	1 f/p, 1 f/s	1 f/p, 1 f/s
Firing Chart —	R	R	R	R
Power To Arm —	2	1	1	2
Damage —	20	26	26	38
Shield Data:				
<i>Deflector Shield Type —</i>	KSO	KSP	KSS	KNSC
Shield Point Ratio —	1/2	1/3	1/3	1/3
Maximum Shield Power —	15	15	26	52
Combat Efficiency:				
<i>D —</i>	117.9	143.4	162.8	203.1
<i>WDF —</i>	65.0	72.2	84.8	99.2



D-11C (SKYSTRIKER) CLASS VII DESTROYER FRIGATE



Construction Data:

<i>Model Numbers</i> —	Variant-1	Variant-2	Variant-3	Variant-4
<i>Ship Class</i> —	VII	VII	VII	VII
<i>Date Entering Service</i> —	2275-2284	2284-2312	2314-2343	2343-2361
<i>Number Constructed</i> —	1	Refit	Refit	Refit

Hull Data:

<i>Superstructure Points</i> —	22	22	22	24
<i>Damage Chart</i> —	C	C	C	C
<i>Size:</i>				
Length —	234.0 m	234.0 m	234.0 m	234.0 m
Width —	128.0 m	128.0 m	128.0 m	128.0 m
Height —	34.0 m	34.0 m	34.0 m	34.0 m
Displacement —	94,310 mt	94,725 mt	98,170 mt	99,350 mt
<i>Cargo:</i>				
Cargo Units —	331 SCU	331 SCU	331 SCU	331 SCU
Cargo Capacity —	16,550 mt	16,550 mt	16,550 mt	16,550 mt
Landing Capacity —	None	None	None	None

Equipment Data:

<i>Control Computer Type</i> —	ZD-5	ZD-5	ZD-6	ZI-2
<i>Transporters:</i>				
standard 6-person —	2	2	2	2
combat 22-person —	2	2	2	2
emergency 22-person —	2	2	2	2
cargo —	1	1	1	1
<i>Cloaking Device Type:</i>	-	-	KCC	KCC
<i>Power Requirements</i> —	-	-	32	32

Other Data:

<i>Crew</i> —	184	184	184	184
<i>Troops</i> —	120	120	120	120
<i>Passengers</i> —	25	25	25	25
<i>Shuttlecraft</i> —	2	2	2	2

Engines And Power Data:

<i>Total Power Units Available</i> —	46	54	64	64
<i>Movement Point Ratio</i> —	3/1	3/1	3/1	3/1
<i>Warp Engine Type</i> —	KWC-1	KWC-2	KWC-3	KWC-3
Number —	2	2	2	2
Power Units Available —	14 ea.	18 ea.	23 ea.	23 ea.
Stress Chart —	L/O	L/O	L/O	L/O
Maximum Safe Cruising Speed —	Warp 7	Warp 8	Warp 8	Warp 8
Emergency Speed —	Warp 8	Warp 9	Warp 9	Warp 9
<i>Impulse Engine Type</i> —	KIE-3	KIE-3	KIE-3	KIE-3
Power Units Available —	18	18	18	18

Weapons And Firing Data:

<i>Beam Weapon Type</i> —	KD-6	KD-8	KD-17	KD-26
Number —	2	2	2	2
Firing Arcs —	1 f/p, 1 s/a	1 f/p, 1 s/a	1 f/p, 1 s/a	1 f/p, 1 s/a
Firing Chart —	T	U	X	Y
Maximum Power —	6	7	9	13
Damage Modifiers —				
+3	(-)	(1-7)	(1-12)	(1-7)
+2	(1-18)	(8-15)	(13-17)	(8-10)
+1	(-)	(16-20)	(18-22)	(11-24)
<i>Beam Weapon Type</i> —	KD-7	KD-7	KD-15	KD-15
Number —	2	2	2	2
Firing Arcs —	1 f, 1 a	1 f, 1 a	1 f, 1 a	1 f, 1 a
Firing Chart —	L	L	T	T
Maximum Power —	7	7	10	10
Damage Modifiers —				
+3	(-)	(-)	(-)	(-)
+2	(1-6)	(1-6)	(1-18)	(1-18)
+1	(7-12)	(7-12)	(-)	(-)
<i>Missile Weapon Type</i> —	KP-3	KP-3	KP-6	KP-11
Number —	2	2	2	2
Firing Arcs —	1 f, 1 a	1 f, 1 a	1 f, 1 a	1 f, 1 a
Firing Chart —	R	R	R	R
Power To Arm —	2	2	2	1
Damage —	15	15	20	26

Shield Data:


<i>Deflector Shield Type</i> —	KSJ	KSK	KSP	KSX
Shield Point Ratio —	2/3	1/2	1/3	1/4
Maximum Shield Power —	13	13	15	32

Combat Efficiency:

<i>D</i> —	83.2	100.5	142.5	200.3
<i>WDF</i> —	35.8	37.8	57.0	72.2




D-14A (KILLER) CLASS VI DESTROYER



Construction Data:			
<i>Model Numbers</i> —	Variant-1	Variant-2	Variant-3
<i>Ship Class</i> —	VI	VI	VI
<i>Date Entering Service</i> —	2279-2299	2301-2319	2342-2360
<i>Number Constructed</i> —	1	Refit	Refit
Hull Data:			
<i>Superstructure Points</i> —	20	20	20
<i>Damage Chart</i> —	C	C	C
Size:			
Length —	220.0 m	220.0 m	220.0 m
Width —	170.0 m	170.0 m	170.0 m
Height —	42.0 m	42.0 m	42.0 m
Displacement —	65,262 mt	66,162 mt	65,272 mt
Cargo:			
Cargo Units —	80 SCU	80 SCU	80 SCU
Cargo Capacity —	4,000 mt	4,000 mt	4,000 mt
Landing Capacity —	None	None	None
Equipment Data:			
<i>Control Computer Type</i> —	ZD-5	ZD-5	ZI-1
Transporters:			
standard 6-person —	2	2	2
emergency 22-person —	2	2	2
cargo —	1	1	1
Other Data:			
Crew —	113	113	149
Passengers —	30	30	30
Shuttlecraft —	2	2	2
Engines And Power Data:			
<i>Total Power Units Available</i> —	40	40	40
<i>Movement Point Ratio</i> —	3/1	3/1	3/1
<i>Warp Engine Type</i> —	KWC-3	KWC-3	KWC-3
Number —	1	1	1
Power Units Available —	22	22	22
Stress Chart —	L/M	L/M	L/M
Maximum Safe Cruising Speed —	Warp 6	Warp 6	Warp 6
Emergency Speed —	Warp 7	Warp 7	Warp 7
<i>Impulse Engine Type</i> —	KIE-3	KIE-3	KIE-3
Power Units Available —	18	18	18
Weapons And Firing Data:			
<i>Beam Weapon Type</i> —	OD-4	OD-4	KD-8
Number —	2	2	4
Firing Arcs —	2 p/f/s	2 p/f/s	2 p/f/s, 1 p/a, 1 s/a
Firing Chart —	T	T	U
Maximum Power —	6	6	7
Damage Modifiers —			
+3	(-)	(-)	(1-7)
+2	(1-18)	(1-18)	(8-15)
+1	(-)	(-)	(16-20)
<i>Beam Weapon Type</i> —	KD-6	KD-6	-
Number —	2	2	-
Firing Arcs —	1 p/a, 1 s/a	1 p/a, 1 s/a	-
Firing Chart —	T	T	-
Maximum Power —	6	6	-
Damage Modifiers —			
+3	(-)	(-)	-
+2	(1-18)	(1-18)	-
+1	(-)	(-)	-
<i>Missile Weapon Type</i> —	KP-1	KP-4	KP-12
Number —	2	2	2
Firing Arcs —	1 f, 1 a	1 f, 1 a	1 f, 1 a
Firing Chart —	F	Q	P
Power To Arm —	1	2	2
Damage —	6	18	28
Shield Data:			
<i>Deflector Shield Type</i> —	NDC	NDC	NDC
Shield Point Ratio —	1/3	1/3	1/3
Maximum Shield Power —	11	11	11
Combat Efficiency:			
<i>D</i> —	99.1	99.1	99.1
<i>WDF</i> —	23.4	40.0	55.0




D-26B (FURYSEEKER) CLASS VI DESTROYER



Construction Data:			
<i>Model Numbers</i> —	Variant-1	Variant-2	Variant-3
<i>Ship Class</i> —	VI	VI	VI
<i>Date Entering Service</i> —	2265-2302	2305-2340	2342-2378
<i>Number Constructed</i> —	1	Refit	Refit
Hull Data:			
<i>Superstructure Points</i> —	22	22	22
<i>Damage Chart</i> —	C	C	C
<i>Size:</i>			
Length —	199.0 m	199.0 m	199.0 m
Width —	53.7 m	53.7 m	53.7 m
Height —	31.9 m	31.9 m	31.9 m
Displacement —	69,280 mt	69,525 mt	77,545 mt
<i>Cargo:</i>			
Cargo Units —	80 SCU	80 SCU	80 SCU
Cargo Capacity —	4,000 mt	4,000 mt	4,000 mt
<i>Landing Capacity</i> —	None	None	None
Equipment Data:			
<i>Control Computer Type</i> —	ZD-5	ZD-5	ZI-1
<i>Transporters:</i>			
standard 6-person —	2	2	2
emergency 22-person —	1	1	1
cargo —	1	1	1
<i>Cloaking Device Type:</i>	-	KCC	KCC
<i>Power Requirements</i> —	-	32	32
Other Data:			
<i>Crew</i> —	119	119	119
<i>Passengers</i> —	8	8	8
<i>Shuttlecraft</i> —	3	3	3
Engines And Power Data:			
<i>Total Power Units Available</i> —	38	50	54
<i>Movement Point Ratio</i> —	3/1	3/1	3/1
<i>Warp Engine Type</i> —			
Number —	OWD-2	OWD-2	KWH-2
Power Units Available —	2	2	2
Stress Chart —	16 ea.	16 ea.	18 ea.
Maximum Safe Cruising Speed —	K/M	K/M	K/L
Emergency Speed —	Warp 6	Warp 6	Warp 8
<i>Impulse Engine Type</i> —	Warp 8	Warp 8	Warp 9
Power Units Available —	KID-1	KIE-3	KIE-3
	6	18	18
Weapons And Firing Data:			
<i>Beam Weapon Type</i> —			
Number —	KD-6	KD-9	KD-16
Firing Arcs —	7	7	7
Firing Chart —	2 f/p, 1 f, 2 f/s, 2 p/a/s	2 f/p, 1 f, 2 f/s, 2 p/a/s	2 f/p, 1 f, 2 f/s, 2 p/a/s
Maximum Power —	T	W	Y
Damage Modifiers —	6	5	6
+3	(-)	(1-7)	(1-9)
+2	(1-18)	(8-15)	(10-17)
+1	(-)	(16-20)	(18-22)
Shield Data:			
<i>Deflector Shield Type</i> —	OSNB	KSK	KST
Shield Point Ratio —	1/2	1/2	1/3
Maximum Shield Power —	10	13	32
Combat Efficiency:			
<i>D</i> —	81.5	96.5	153.0
<i>WDF</i> —	35.7	38.5	49.7



D-30F (MUTINY) CLASS IX DESTROYER



Construction Data:

	Variant-1	Variant-2	Variant-3
<i>Model Numbers —</i>	IX	IX	IX
<i>Ship Class —</i>	2357-2365	2366-2374	2375-2378
<i>Date Entering Service —</i>	1	Refit	Refit
<i>Number Constructed —</i>			

Hull Data:

	Variant-1	Variant-2	Variant-3
<i>Superstructure Points —</i>	32	38	40
<i>Damage Chart —</i>	C	C	C
<i>Size:</i>			
Length —	251.0 m	251.0 m	251.0 m
Width —	174.0 m	174.0 m	174.0 m
Height —	39.0 m	39.0 m	39.0 m
Displacement —	137,445 mt	129,965 mt	131,357 mt
<i>Cargo:</i>			
Cargo Units —	410 SCU	410 SCU	410 SCU
Cargo Capacity —	20,500 mt	20,500 mt	20,500 mt
Landing Capacity —	None	None	None

Equipment Data:

	Variant-1	Variant-2	Variant-3
<i>Control Computer Type —</i>	ZI-3	ZI-3	ZI-3
<i>Transporters:</i>			
standard 6-person —	2	2	2
emergency 22-person —	2	2	2
cargo —	4	4	4
<i>Cloaking Device Type:</i>	KCC	KCC	KCC
<i>Power Requirements —</i>	32	32	32

Other Data:

	Variant-1	Variant-2	Variant-3
<i>Crew —</i>	344	344	344
<i>Troops —</i>	70	70	70
<i>Passengers —</i>	20	20	20
<i>Shuttlecraft —</i>	6	6	6

Engines And Power Data:

	Variant-1	Variant-2	Variant-3
<i>Total Power Units Available —</i>	58	62	62
<i>Movement Point Ratio —</i>	3/1	3/1	3/1
<i>Warp Engine Type —</i>	KWF-1	KWC-2	KWC-2
Number —	2	2	2
Power Units Available —	16 ea.	18 ea.	18 ea.
Stress Chart —	H/J	L/O	L/O
Maximum Safe Cruising Speed —	Warp 8	Warp 8	Warp 8
Emergency Speed —	Warp 9	Warp 9	Warp 9
<i>Impulse Engine Type —</i>	KIK-1	KIK-1	KIK-1
Power Units Available —	26	26	26

Weapons And Firing Data:

	Variant-1	Variant-2	Variant-3
<i>Beam Weapon Type —</i>	KD-17	KD-19	KD-25
Number —	8	8	8
Firing Arcs —	2 f/p, 2 f/s, 1 f/p/a, 1 f/s/a, 1 p/a, 1 s/a	2 f/p, 2 f/s, 1 f/p/a, 1 f/s/a, 1 p/a, 1 s/a	2 f/p, 2 f/s, 1 f/p/a, 1 f/s/a, 1 p/a, 1 s/a
Firing Chart —	X	X	Y
Maximum Power —	9	12	12
Damage Modifiers —			
+3	(1-12)	(1-14)	(1-7)
+2	(13-17)	(15-18)	(8-14)
+1	(18-22)	(19-22)	(15-20)
<i>Missile Weapon Type —</i>	KP-16	KP-17	KP-17
Number —	2	2	2
Firing Arcs —	1 f, 1 a	1 f, 1 a	1 f, 1 a
Firing Chart —	Q	R	R
Power To Arm —	2	2	2
Damage —	36	38	38

Shield Data:


	Variant-1	Variant-2	Variant-3
<i>Deflector Shield Type —</i>	KNSC	KNSC	KNSC
Shield Point Ratio —	1/3	1/3	1/3
Maximum Shield Power —	52	52	52

Combat Efficiency:

	Variant-1	Variant-2	Variant-3
<i>D —</i>	203.3	217.8	220.7
<i>WDF —</i>	111.4	137.2	142.0




D-410 (DEMON) CLASS VI DESTROYER



Construction Data:			
<i>Model Numbers</i> —	Variant-1	Variant-2	Variant-3
<i>Ship Class</i> —	VI	VI	VI
<i>Date Entering Service</i> —	2328-2340	2343-2359	2361-2378
<i>Number Constructed</i> —	1	Refit	Refit
Hull Data:			
<i>Superstructure Points</i> —	22	22	22
<i>Damage Chart</i> —	C	C	C
<i>Size:</i>			
Length —	220.0 m	220.0 m	220.0 m
Width —	170.0 m	170.0 m	170.0 m
Height —	42.0 m	42.0 m	42.0 m
Displacement —	65,075 mt	78,885 mt	79,625 mt
<i>Cargo:</i>			
Cargo Units —	152 SCU	152 SCU	152 SCU
Cargo Capacity —	7,600 mt	7,600 mt	7,600 mt
Landing Capacity —	None	None	None
Equipment Data:			
<i>Control Computer Type</i> —	ZD-5	ZI-1	ZI-1
<i>Transporters:</i>			
standard 6-person —	2	2	2
emergency 22-person —	2	2	2
cargo —	1	1	1
<i>Cloaking Device Type:</i>	KCC	KCC	KCC
<i>Power Requirements</i> —	32	32	32
Other Data:			
<i>Crew</i> —	148	148	148
<i>Passengers</i> —	15	15	15
<i>Shuttlecraft</i> —	2	2	2
Engines And Power Data:			
<i>Total Power Units Available</i> —	44	54	54
<i>Movement Point Ratio</i> —	3/1	3/1	3/1
<i>Warp Engine Type</i> —			
Number —	KWB-3	KWH-2	KWH-2
Power Units Available —	2	2	2
Stress Chart —	13 ea.	18 ea.	18 ea.
Maximum Safe Cruising Speed —	Q/Q	K/L	K/L
Emergency Speed —	Warp 7	Warp 8	Warp 8
Impulse Engine Type —	Warp 8	Warp 9	Warp 9
Power Units Available —	KIE-3	KIE-3	KIE-3
Power Units Available —	18	18	18
Weapons And Firing Data:			
<i>Beam Weapon Type</i> —			
Number —	KD-6	KD-8	KD-8
Firing Arcs —	4	4	4
Firing Chart —	2 p/f/s, 1 p/a, 1 s/a	2 p/f/s, 1 p/a, 1 s/a	2 p/f/s, 1 p/a, 1 s/a
Maximum Power —	T	U	U
Damage Modifiers —	6	7	7
+3	(-)	(1-7)	(1-7)
+2	(1-18)	(8-15)	(8-15)
+1	(-)	(16-20)	(16-20)
<i>Missile Weapon Type</i> —			
Number —	KP-4	KP-10	KP-8
Firing Arcs —	2	2	2
Firing Chart —	1 f, 1 a	1 f, 1 a	1 f, 1 a
Power To Arm —	Q	S	S
Damage —	2	1	2
Damage —	18	22	24
Shield Data:			
<i>Deflector Shield Type</i> —			
Shield Point Ratio —	KSK	KST	KST
Maximum Shield Power —	1/2	1/3	1/3
Maximum Shield Power —	13	32	32
Combat Efficiency:			
<i>D</i> —	91.5	153.0	153.0
<i>WDF</i> —	40.0	48.4	54.4




D-67A (SUPPRESSION) CLASS V DESTROYER



Construction Data:			
<i>Model Numbers</i> —	Variant-1	Variant-2	Variant-3
<i>Ship Class</i> —	V	V	V
<i>Date Entering Service</i> —	2275-2299	2301-2338	2341-2378
<i>Number Constructed</i> —	1	Refit	Refit
Hull Data:			
<i>Superstructure Points</i> —	18	18	18
<i>Damage Chart</i> —	C	C	C
<i>Size:</i>			
Length —	150.5 m	150.5 m	150.5 m
Width —	85.5 m	85.5 m	85.5 m
Height —	40.6 m	40.6 m	40.6 m
Displacement —	47,275 mt	54,705 mt	57,150 mt
<i>Cargo:</i>			
Cargo Units —	108 SCU	108 SCU	108 SCU
Cargo Capacity —	5,400 mt	5,400 mt	5,400 mt
Landing Capacity —	None	None	None
Equipment Data:			
<i>Control Computer Type</i> —	ZD-4	ZD-4	ZI-1
<i>Transporters:</i>			
standard 6-person —	2	2	2
cargo —	2	2	2
<i>Cloaking Device Type:</i>	-	KCB	KCB
<i>Power Requirements</i> —	-	22	22
Other Data:			
<i>Crew</i> —	106	106	106
<i>Passengers</i> —	10	10	10
<i>Shuttlecraft</i> —	1	1	1
Engines And Power Data:			
<i>Total Power Units Available</i> —	30	32	32
<i>Movement Point Ratio</i> —	3/1	3/1	3/1
<i>Warp Engine Type</i> —	KWVB-2	KWVB-3	KWVB-3
Number —	2	2	2
Power Units Available —	12 ea.	13 ea.	13 ea.
Stress Chart —	P/Q	Q/Q	Q/Q
Maximum Safe Cruising Speed —	Warp 7	Warp 7	Warp 7
Emergency Speed —	Warp 8	Warp 8	Warp 8
<i>Impulse Engine Type</i> —	KID-1	KID-1	KID-1
Power Units Available —	6	6	6
Weapons And Firing Data:			
<i>Beam Weapon Type</i> —	KD-2	KD-5	KD-8
Number —	4	4	4
Firing Arcs —	1 f/p, 2 f, 1 f/s	1 f/p, 2 f, 1 f/s	1 f/p, 2 f, 1 f/s
Firing Chart —	G	P	U
Maximum Power —	4	4	7
Damage Modifiers —			
+3	(-)	(-)	(1-7)
+2	(-)	(1-10)	(8-15)
+1	(1-10)	(11-18)	(16-20)
<i>Missile Weapon Type</i> —	KP-2	KP-5	KP-6
Number —	2	2	2
Firing Arcs —			
Firing Chart —	H	Q	R
Power To Arm —	1	1	2
Damage —	10	10	20
Shield Data:			
<i>Deflector Shield Type</i> —	KSD	KSD	KST
Shield Point Ratio —	1/2	1/2	1/3
Maximum Shield Power —	11	11	32
Combat Efficiency:			
<i>D</i> —	70.7	72.7	117.2
<i>WDF</i> —	11.6	23.0	48.0



K-23G (RAGEQUEST) CLASS VII ESCORT



Construction Data:	Variant-1	Variant-2	Variant-3	Variant-4
<i>Model Numbers —</i>	VII	VII	VII	VII
<i>Ship Class —</i>	2299-2320	2321-2345	2347-2363	2365-2378
<i>Date Entering Service —</i>	1	Refit	Refit	Refit
<i>Number Constructed —</i>				
Hull Data:				
<i>Superstructure Points —</i>	22	22	22	22
<i>Damage Chart —</i>	C	C	C	C
<i>Size:</i>				
Length —	194.0 m	194.0 m	194.0 m	194.0 m
Width —	138.0 m	138.0 m	138.0 m	138.0 m
Height —	38.0 m	38.0 m	38.0 m	38.0 m
Displacement —	99,425 mt	99,660 mt	95,220 mt	95,440 mt
<i>Cargo:</i>				
Cargo Units —	45 SCU	45 SCU	45 SCU	45 SCU
Cargo Capacity —	2,250 mt	2,250 mt	2,250 mt	2,250 mt
Landing Capacity —	None	None	None	None
Equipment Data:				
<i>Control Computer Type —</i>	ZD-6	ZD-6	ZI-2	ZI-2
<i>Transporters:</i>				
standard 6-person —	2	2	2	2
emergency 22-person —	1	1	1	1
cargo —	1	1	1	1
Other Data:				
<i>Crew —</i>	175	175	175	175
<i>Passengers —</i>	15	15	15	15
<i>Shuttlecraft —</i>	2	2	2	2
Engines And Power Data:				
<i>Total Power Units Available —</i>	54	54	54	54
<i>Movement Point Ratio —</i>	3/1	3/1	3/1	3/1
<i>Warp Engine Type —</i>	KWC-2	KWC-2	KWC-2	KWC-2
Number —	2	2	2	2
Power Units Available —	18 ea.	18 ea.	18 ea.	18 ea.
Stress Chart —	L/O	L/O	L/O	L/O
Maximum Safe Cruising Speed —	Warp 8	Warp 8	Warp 8	Warp 8
Emergency Speed —	Warp 9	Warp 9	Warp 9	Warp 9
<i>Impulse Engine Type —</i>	KIE-3	KIE-3	KIE-3	KIE-3
Power Units Available —	18	18	18	18
Weapons And Firing Data:				
<i>Beam Weapon Type —</i>	KD-8	KD-8	KD-17	KD-17
Number —	6	6	6	6
Firing Arcs —	2 p/f/s, 2 f, 2 a	2 p/f/s, 2 f, 2 a	2 p/f/s, 2 f, 2 a	2 p/f/s, 2 f, 2 a
Firing Chart —	U	U	X	X
Maximum Power —	7	7	9	9
Damage Modifiers —				
+3	(1-7)	(1-7)	(1-12)	(1-12)
+2	(8-15)	(8-15)	(13-17)	(13-17)
+1	(16-20)	(16-20)	(18-22)	(18-22)
<i>Missile Weapon Type —</i>	KP-6	KP-11	KP-19	KP-22
Number —	1	1	1	1
Firing Arcs —	1 f	1 f	1 f	1 f
Firing Chart —	R	R	Q	R
Power To Arm —	2	1	2	2
Damage —	20	26	32	40
Shield Data:				
<i>Deflector Shield Type —</i>	KSH	KSP	KSY	KSY
Shield Point Ratio —	1/3	1/3	1/3	1/3
Maximum Shield Power —	13	15	36	36
Combat Efficiency:				
<i>D —</i>	126.0	129.0	159.0	159.0
<i>WDF —</i>	48.4	52.0	71.5	77.8




K-29A (CONSTRICTED) CLASS VII HEAVY ESCORT



Construction Data:			
Model Numbers —	Variant-1	Variant-2	Variant-3
Ship Class —	VII	VII	VII
Date Entering Service —	2290-2327	2328-2356	2358-2378
Number Constructed —	1	Refit	Refit
Hull Data:			
Superstructure Points —	22	22	24
Damage Chart —	C	C	C
Size:			
Length —	160.0 m	160.0 m	160.0 m
Width —	96.0 m	96.0 m	96.0 m
Height —	55.0 m	55.0 m	55.0 m
Displacement —	98,395 mt	98,015 mt	99,110 mt
Cargo:			
Cargo Units —	236 SCU	236 SCU	236 SCU
Cargo Capacity —	11,800 mt	11,800 mt	11,800 mt
Landing Capacity —	None	None	None
Equipment Data:			
Control Computer Type —	ZD-6	ZD-6	ZI-2
Transporters:			
standard 6-person —	1	1	1
combat 22-person —	1	1	1
emergency 22-person —	2	2	2
cargo —	2	2	2
Cloaking Device Type:			
Power Requirements —	KCC	KCC	KCC
	32	32	32
Other Data:			
Crew —	184	184	184
Troops —	44	44	44
Passengers —	20	20	20
Shuttlecraft —	2	2	2
Engines And Power Data:			
Total Power Units Available —	64	64	64
Movement Point Ratio —	3/1	3/1	3/1
Warp Engine Type —	KWVC-3	KWVC-3	KWVC-3
Number —	2	2	2
Power Units Available —	23 ea.	23 ea.	23 ea.
Stress Chart —	L/O	L/O	L/O
Maximum Safe Cruising Speed —	Warp 8	Warp 8	Warp 8
Emergency Speed —	Warp 9	Warp 9	Warp 9
Impulse Engine Type —	KIE-3	KIE-3	KIE-3
Power Units Available —	18	18	18
Weapons And Firing Data:			
Beam Weapon Type —	KD-8	KD-17	KD-21
Number —	3	3	3
Firing Arcs —	1 f/p, 1 f, 1 f/s	1 f/p, 1 f, 1 f/s	1 f/p, 1 f, 1 f/s
Firing Chart —	U	X	W
Maximum Power —	7	9	17
Damage Modifiers —			
+3	(1-7)	(1-12)	(-)
+2	(8-15)	(13-17)	(-)
+1	(16-20)	(18-22)	(1-18)
Beam Weapon Type —	KD-6	KD-8	KD-17
Number —	2	2	2
Firing Arcs —	1 p/a, 1 s/a	1 p/a, 1 s/a	1 p/a, 1 s/a
Firing Chart —	T	U	X
Maximum Power —	6	7	9
Damage Modifiers —			
+3	(-)	(1-7)	(1-12)
+2	(1-18)	(8-15)	(13-17)
+1	(-)	(16-20)	(18-22)
Missile Weapon Type —	KP-8	KP-8	KP-8
Number —	1	1	1
Firing Arcs —	1 f	1 f	1 f
Firing Chart —	S	S	S
Power To Arm —	2	2	2
Damage —	24	24	24
Shield Data:			
Deflector Shield Type —	KSH	KST	KSX
Shield Point Ratio —	1/3	1/3	1/4
Maximum Shield Power —	13	32	32
Combat Efficiency:			
D —	139.5	166.5	200.3
WDF —	43.5	54.2	73.8




L-6J (EVOKER) CLASS VIII FRIGATE



Construction Data:	Variant-1	Variant-2	Variant-3	Variant-4	Variant-5
<i>Model Numbers —</i>	VIII	IX	IX	IX	IX
<i>Ship Class —</i>	VIII	IX	IX	IX	IX
<i>Date Entering Service —</i>	2276-2300	2302-2321	2322-2336	2337-2353	2355-2364
<i>Number Constructed —</i>	1	Refit	Refit	Refit	Refit
Hull Data:					
<i>Superstructure Points —</i>	34	40	40	44	44
<i>Damage Chart —</i>	C	C	C	C	C
<i>Size:</i>					
Length —	200.0 m	200.0 m	200.0 m	200.0 m	200.0 m
Width —	120.0 m	120.0 m	120.0 m	120.0 m	120.0 m
Height —	30.0 m	30.0 m	30.0 m	30.0 m	30.0 m
Displacement —	118,355 mt	126,950 mt	131,725 mt	137,770 mt	136,901 mt
<i>Cargo:</i>					
Cargo Units —	373 SCU	373 SCU	373 SCU	373 SCU	373 SCU
Cargo Capacity —	18,650 mt	18,650 mt	18,650 mt	18,650 mt	18,650 mt
Landing Capacity —	None	None	None	None	None
Equipment Data:					
<i>Control Computer Type —</i>	ZD-6	ZD-7	ZD-9	ZD-9	ZI-3
<i>Transporters:</i>					
standard 6-person —	4	4	4	4	4
combat 22-person —	3	3	3	3	3
emergency 22-person —	2	2	2	2	2
cargo —	2	2	2	2	2
<i>Cloaking Device Type:</i>	KCC	KCC	KCC	KCC	KCC
<i>Power Requirements —</i>	32	32	32	32	32
Other Data:					
<i>Crew —</i>	292	292	292	292	292
<i>Troops —</i>	80	80	80	80	80
<i>Passengers —</i>	10	10	10	10	10
<i>Shuttlecraft —</i>	4	4	4	4	4
Engines And Power Data:					
<i>Total Power Units Available —</i>	59	59	59	62	62
<i>Movement Point Ratio —</i>	3/1	3/1	3/1	3/1	3/1
<i>Warp Engine Type —</i>	KWC-2	KWC-2	KWC-2	KWC-2	KWC-2
Number —	2	2	2	2	2
Power Units Available —	18 ea.	18 ea.	18 ea.	18 ea.	18 ea.
Stress Chart —	L/O	L/O	L/O	L/O	L/O
Maximum Safe Cruising Speed —	Warp 8	Warp 8	Warp 8	Warp 8	Warp 8
Emergency Speed —	Warp 9	Warp 9	Warp 9	Warp 9	Warp 9
<i>Impulse Engine Type —</i>	KIF-2	KIF-2	KIF-2	KIK-1	KIK-1
Power Units Available —	23	23	23	26	26
Weapons And Firing Data:					
<i>Beam Weapon Type —</i>	KD-8	KD-17	KD-19	KD-19	KD-25
Number —	6	6	6	6	6
Firing Arcs —	1 f/p, 2 f, 1 f/s, 2 a	1 f/p, 2 f, 1 f/s, 2 a	1 f/p, 2 f, 1 f/s, 2 a	1 f/p, 2 f, 1 f/s, 2 a	1 f/p, 2 f, 1 f/s, 2 a
Firing Chart —	U	X	X	X	Y
Maximum Power —	7	9	12	12	12
Damage Modifiers —					
+3	(1-7)	(1-12)	(1-14)	(1-14)	(1-7)
+2	(8-15)	(13-17)	(15-18)	(15-18)	(8-14)
+1	(16-20)	(18-22)	(19-22)	(19-22)	(15-20)
<i>Beam Weapon Type —</i>	OD-5	KD-16	KD-15	KD-21	KD-29
Number —	2	2	2	2	2
Firing Arcs —	2 f	2 f	2 f	2 f	2 f
Firing Chart —	U	Y	T	W	W
Maximum Power —	7	6	10	17	18
Damage Modifiers —					
+3	(-)	(1-9)	(-)	(-)	(-)
+2	(1-10)	(10-17)	(1-18)	(-)	(1-16)
+1	(11-20)	(18-22)	(-)	(1-18)	(17-20)
<i>Missile Weapon Type —</i>	KP-6	KP-6	KP-6	KP-6	KP-17
Number —	1	1	1	1	1
Firing Arcs —	1 f	1 f	1 f	1 f	1 f
Firing Chart —	R	R	R	R	R
Power To Arm —	2	2	2	2	2
Damage —	20	20	20	20	38
Shield Data:					
<i>Deflector Shield Type —</i>	KSH	KSP	KSS	KST	KSZ
Shield Point Ratio —	1/3	1/3	1/3	1/3	1/3
Maximum Shield Power —	12	15	26	32	50
Combat Efficiency:					
<i>D —</i>	149.1	162.2	178.7	196.4	223.4
<i>WDF —</i>	59.6	80.0	96.2	108.0	125.6



L-21H (FIERCE) CLASS VII FRIGATE



Construction Data:

<i>Model Numbers</i> —	Variant-1	Variant-2
<i>Ship Class</i> —	VII	VII
<i>Date Entering Service</i> —	2353-2367	2369-2378
<i>Number Constructed</i> —	1	Refit

Hull Data:

<i>Superstructure Points</i> —	24	24
<i>Damage Chart</i> —	C	C
<i>Size:</i>		
Length —	266.0 m	266.0 m
Width —	158.0 m	158.0 m
Height —	53.0 m	53.0 m
Displacement —	99,240 mt	99,140 mt

Cargo:

<i>Cargo Units</i> —	316 SCU	316 SCU
<i>Cargo Capacity</i> —	15,800 mt	15,800 mt
<i>Landing Capacity</i> —	None	None

Equipment Data:

<i>Control Computer Type</i> —	ZI-2	ZI-2
<i>Transporters:</i>		
standard 6-person —	2	2
combat 22-person —	6	6
emergency 22-person —	3	3
cargo —	2	2
<i>Cloaking Device Type:</i>	KCC	KCC
<i>Power Requirements</i> —	32	32

Other Data:

<i>Crew</i> —	184	184
<i>Troops</i> —	140	140
<i>Passengers</i> —	10	10
<i>Shuttlecraft</i> —	4	4

Engines And Power Data:

<i>Total Power Units Available</i> —	64	64
<i>Movement Point Ratio</i> —	3/1	3/1
<i>Warp Engine Type</i> —	KWC-3	KWC-3
Number —	2	2
Power Units Available —	23 ea.	23 ea.
Stress Chart —	L/O	L/O
Maximum Safe Cruising Speed —	Warp 8	Warp 8
Emergency Speed —	Warp 9	Warp 9
<i>Impulse Engine Type</i> —	KIE-3	KIE-3
Power Units Available —	18	18

Weapons And Firing Data:

<i>Beam Weapon Type</i> —	KD-17	KD-17
Number —	6	6
Firing Arcs —	2 f, 1 p, 1 s, 2 a	2 f, 1 p, 1 s, 2 a
Firing Chart —	X	X
Maximum Power —	9	9
Damage Modifiers —		
+3	(1-12)	(1-12)
+2	(13-17)	(13-17)
+1	(18-22)	(18-22)
<i>Missile Weapon Type</i> —	KP-19	KP-20
Number —	2	2
Firing Arcs —	1 f, 1 a	1 f, 1 a
Firing Chart —	Q	R
Power To Arm —	2	1
Damage —	32	30

Shield Data:


<i>Deflector Shield Type</i> —	KNSB	KNSB
Shield Point Ratio —	1/4	1/4
Maximum Shield Power —	38	38

Combat Efficiency:

<i>D</i> —	208.3	208.3
<i>WDF</i> —	89.0	89.6




L-50C (HEINOUS) CLASS XI FRIGATE



Construction Data:	Variant-1	Variant-2	Variant-3	Variant-4
<i>Model Numbers —</i>	XI	XI	XI	XI
<i>Ship Class —</i>	2292-2319	2320-2340	2341-2359	2360-2378
<i>Date Entering Service —</i>	1	Refit	Refit	Refit
<i>Number Constructed —</i>				
Hull Data:				
<i>Superstructure Points —</i>	42	42	42	44
<i>Damage Chart —</i>	C	C	C	C
<i>Size:</i>				
Length —	290.0 m	290.0 m	290.0 m	290.0 m
Width —	270.0 m	270.0 m	270.0 m	270.0 m
Height —	98.0 m	98.0 m	98.0 m	98.0 m
Displacement —	171,700 mt	170,785 mt	173,040 mt	179,774 mt
<i>Cargo:</i>				
Cargo Units —	382 SCU	382 SCU	382 SCU	382 SCU
Cargo Capacity —	19,100 mt	19,100 mt	19,100 mt	19,100 mt
Landing Capacity —	None	None	None	None
Equipment Data:				
<i>Control Computer Type —</i>	ZD-9	ZD-9	ZD-9	ZI-4
<i>Transporters:</i>				
standard 6-person —	5	5	5	5
combat 22-person —	2	2	2	2
emergency 22-person —	3	3	3	3
cargo —	2	2	2	2
<i>Cloaking Device Type:</i>	-	KCD	KCD	KCD
<i>Power Requirements —</i>	-	48	48	48
Other Data:				
<i>Crew —</i>	335	335	335	335
<i>Troops —</i>	40	40	40	40
<i>Passengers —</i>	25	25	25	25
<i>Shuttlecraft —</i>	6	6	6	6
Engines And Power Data:				
<i>Total Power Units Available —</i>	63	63	63	63
<i>Movement Point Ratio —</i>	4/1	4/1	4/1	4/1
<i>Warp Engine Type —</i>	KWE-3	KWE-3	KWE-3	KWE-3
Number —	2	2	2	2
Power Units Available —	20 ea.	20 ea.	20 ea.	20 ea.
Stress Chart —	J/M	J/M	J/M	J/M
Maximum Safe Cruising Speed —	Warp 7	Warp 7	Warp 7	Warp 7
Emergency Speed —	Warp 8	Warp 8	Warp 8	Warp 8
<i>Impulse Engine Type —</i>	KIF-2	KIF-2	KIF-2	KIF-2
Power Units Available —	23	23	23	23
Weapons And Firing Data:				
<i>Beam Weapon Type —</i>	KD-17	KD-17	KD-17	KD-29
Number —	4	4	4	4
Firing Arcs —	2 f/p, 2 f/s	2 f/p, 2 f/s	2 f/p, 2 f/s	2 f/p, 2 f/s
Firing Chart —	X	X	X	W
Maximum Power —	9	9	9	18
Damage Modifiers —				
+3	(1-12)	(1-12)	(1-12)	(-)
+2	(13-17)	(13-17)	(13-17)	(1-16)
+1	(18-22)	(18-22)	(18-22)	(17-20)
<i>Missile Weapon Type —</i>	KP-6	KP-10	KP-12	KP-12
Number —	5	5	5	5
Firing Arcs —	2 f/p, 1 f, 2 f/s	2 f/p, 1 f, 2 f/s	2 f/p, 1 f, 2 f/s	2 f/p, 1 f, 2 f/s
Firing Chart —	R	Q	P	P
Power To Arm —	2	1	2	2
Damage —	20	22	28	28
Shield Data:				
<i>Deflector Shield Type —</i>	KSP	KSS	KSY	KSZ
Shield Point Ratio —	1/3	1/3	1/3	1/3
Maximum Shield Power —	15	26	36	50
Combat Efficiency:				
<i>D —</i>	147.1	163.6	177.1	200.9
<i>WDF —</i>	95.0	96.0	112.5	137.3




K-3C (IRRITATION) CLASS II GUNBOAT



Construction Data:		Variant-1	Variant-2	Variant-3	Variant-4
Model Numbers —		II	II	II	II
Ship Class —		2296-2303	2305-2324	2326-2337	2339-2349
Date Entering Service —		1	Refit	Refit	Refit
Number Constructed —					
Hull Data:					
Superstructure Points —		4	4	4	4
Damage Chart —		C	C	C	C
Size:					
Length —		53.0 m	53.0 m	53.0 m	53.0 m
Width —		23.0 m	23.0 m	23.0 m	23.0 m
Height —		9.0 m	9.0 m	9.0 m	9.0 m
Displacement —		14,705 mt	14,855 mt	14,375 mt	14,298 mt
Cargo:					
Cargo Units —		2 SCU	2 SCU	2 SCU	2 SCU
Cargo Capacity —		100 mt	100 mt	100 mt	100 mt
Landing Capacity —		Yes	Yes	Yes	Yes
Equipment Data:					
Control Computer Type —		ZD-2	ZD-2	Mark Ia	Mark III
Transporters:					
standard 6-person —		1	1	1	1
Other Data:					
Crew —		10	10	10	10
Engines And Power Data:					
Total Power Units Available —		15	15	15	20
Movement Point Ratio —		1/1	1/1	1/1	1/1
Warp Engine Type —		KWB-2	KWB-2	KWB-2	OWA-2
Number —		1	1	1	1
Power Units Available —		12	12	12	17
Stress Chart —		O/P	O/P	O/P	F/D
Maximum Safe Cruising Speed —		Warp 6	Warp 6	Warp 6	Warp 6
Emergency Speed —		Warp 7	Warp 7	Warp 7	Warp 7
Impulse Engine Type —		KIB-1	KIB-1	KIB-1	KIA-3
Power Units Available —		3	3	3	3
Weapons And Firing Data:					
Beam Weapon Type —		KD-2	KD-2	KD-2	KD-2
Number —		2	2	2	2
Firing Arcs —		2 f	2 f	2 f	2 f
Firing Chart —		G	G	G	G
Maximum Power —		4	4	4	4
Damage Modifiers —					
+3		(-)	(-)	(-)	(-)
+2		(-)	(-)	(-)	(-)
+1		(1-10)	(1-10)	(1-10)	(1-10)
Missile Weapon Type —		KP-1	KP-2	KP-5	KP-4
Number —		1	1	1	1
Firing Arcs —		1 f	1 f	1 f	1 f
Firing Chart —		F	H	Q	Q
Power To Arm —		1	1	1	2
Damage —		6	10	10	18
Shield Data:					
Deflector Shield Type —		KSC	KSC	KSC	KSC
Shield Point Ratio —		1/1	1/1	1/1	1/1
Maximum Shield Power —		11	11	11	11
Combat Efficiency:					
D —		42.7	42.7	42.7	49.7
WDF —		4.1	5.8	8.1	12.4



K-5B (GOUGER) CLASS II GUNBOAT



Construction Data:

<i>Model Numbers</i> —	Variant-1	Variant-2
<i>Ship Class</i> —	II	II
<i>Date Entering Service</i> —	2272-2290	2291-2314
<i>Number Constructed</i> —	1	Refit

Hull Data:

<i>Superstructure Points</i> —	4	4
<i>Damage Chart</i> —	C	C
<i>Size:</i>		
Length —	94.0 m	94.0 m
Width —	38.0 m	38.0 m
Height —	18.0 m	18.0 m
Displacement —	14,693 mt	14,588 mt

Cargo:

<i>Cargo Units</i> —	15 SCU	15 SCU
<i>Cargo Capacity</i> —	750 mt	750 mt
<i>Landing Capacity</i> —	Yes	Yes

Equipment Data:

<i>Control Computer Type</i> —	ZD-2	ZD-2
<i>Transporters:</i>		
standard 6-person —	1	1

Other Data:

<i>Crew</i> —	18	18
<i>Passengers</i> —	6	6

Engines And Power Data:

<i>Total Power Units Available</i> —	14	15
<i>Movement Point Ratio</i> —	1/1	1/1
<i>Warp Engine Type</i> —	KWB-2	KWB-2
Number —	1	1
Power Units Available —	12	12
Stress Chart —	O/P	O/P
Maximum Safe Cruising Speed —	Warp 6	Warp 6
Emergency Speed —	Warp 7	Warp 7
<i>Impulse Engine Type</i> —	KIA-2	KIA-3
Power Units Available —	2	3

Weapons And Firing Data:

<i>Beam Weapon Type</i> —	KD-3	KD-3
Number —	2	2
Firing Arcs —	2 f	2 f
Firing Chart —	I	I
Maximum Power —	5	5
Damage Modifiers —		
+3	(-)	(-)
+2	(-)	(-)
+1	(1-12)	(1-12)
<i>Missile Weapon Type</i> —	KP-1	OP-4
Number —	1	1
Firing Arcs —	1 f	1 f
Firing Chart —	F	H
Power To Arm —	1	1
Damage —	6	6

Shield Data:


<i>Deflector Shield Type</i> —	KSE	KSE
Shield Point Ratio —	1/1	1/1
Maximum Shield Power —	12	12

Combat Efficiency:

<i>D</i> —	42.7	43.7
<i>WDF</i> —	5.9	6.3




K-6A (CORRUPTING) CLASS IV GUNBOAT



Construction Data:				
Model Numbers —	Variant-1	Variant-2	Variant-3	Variant-4
Ship Class —	III	III	III	III
Date Entering Service —	2270-2304	2305-2337	2338-2358	2360-2378
Number Constructed —	1	Refit	Refit	Refit
Hull Data:				
Superstructure Points —	8	8	8	8
Damage Chart —	C	C	C	C
Size:				
Length —	54.0 m	54.0 m	54.0 m	54.0 m
Width —	23.0 m	23.0 m	23.0 m	23.0 m
Height —	10.0 m	10.0 m	10.0 m	10.0 m
Displacement —	22,863 mt	22,373 mt	23,003 mt	23,253 mt
Cargo:				
Cargo Units —	16 SCU	16 SCU	16 SCU	16 SCU
Cargo Capacity —	800 mt	800 mt	800 mt	800 mt
Landing Capacity —	Yes	Yes	Yes	Yes
Equipment Data:				
Control Computer Type —	ZD-4	ZD-4	ZD-4	ZD-4
Transporters:				
standard 6-person —	1	1	1	1
Cloaking Device Type:	-	KCA	KCA	KCA
Power Requirements —	-	12	12	12
Other Data:				
Crew —	8	8	8	8
Passengers —	4	4	4	4
Engines And Power Data:				
Total Power Units Available —	22	23	23	23
Movement Point Ratio —	2/1	2/1	2/1	2/1
Warp Engine Type —	KWA-2	KWA-2	KWA-2	KWA-2
Number —	2	2	2	2
Power Units Available —	10 ea.	10 ea.	10 ea.	10 ea.
Stress Chart —	Q/R	Q/R	Q/R	Q/R
Maximum Safe Cruising Speed —	Warp 7	Warp 7	Warp 7	Warp 7
Emergency Speed —	Warp 8	Warp 8	Warp 8	Warp 8
Impulse Engine Type —	KIC-1	KIA-3	KIA-3	KIA-3
Power Units Available —	2	3	3	3
Weapons And Firing Data:				
Beam Weapon Type —	KD-7	KD-7	KD-6	KD-6
Number —	1	1	1	1
Firing Arcs —	1 f	1 f	1 f	1 f
Firing Chart —	L	L	T	T
Maximum Power —	7	7	6	6
Damage Modifiers —				
+3	(-)	(-)	(-)	(-)
+2	(1-6)	(1-6)	(1-18)	(1-18)
+1	(7-12)	(7-12)	(-)	(-)
Missile Weapon Type —	KP-2	KP-5	KP-3	KP-4
Number —	2	2	2	2
Firing Arcs —	2 f	2 f	2 f	2 f
Firing Chart —	H	Q	R	Q
Power To Arm —	1	1	2	2
Damage —	10	10	15	18
Shield Data:				
Deflector Shield Type —	KSM	KSJ	KSD	KSD
Shield Point Ratio —	1/1	2/3	1/2	1/2
Maximum Shield Power —	15	15	12	12
Combat Efficiency:				
D —	48.4	57.2	60.4	60.4
WDF —	10.2	14.8	23.1	24.7



K-9B (STEELHAMMER) CLASS V HUNTER-KILLER



Construction Data:

<i>Model Numbers</i> —	Variant-1	Variant-2
<i>Ship Class</i> —	V	V
<i>Date Entering Service</i> —	2265-2307	2311-2378
<i>Number Constructed</i> —	1	Refit

Hull Data:

<i>Superstructure Points</i> —	24	28
<i>Damage Chart</i> —	C	C
<i>Size:</i>		
Length —	184.5 m	184.5 m
Width —	73.6 m	73.6 m
Height —	27.5 m	27.5 m
Displacement —	51,915 mt	57,495 mt
<i>Cargo:</i>		
Cargo Units —	5 SCU	5 SCU
Cargo Capacity —	250 mt	250 mt
Landing Capacity —	None	None

Equipment Data:

<i>Control Computer Type</i> —	ZD-4	ZD-4
<i>Transporters:</i>		
standard 6-person —	1	1
cargo —	1	1

Other Data:

<i>Crew</i> —	28	28
---------------	----	----

Engines And Power Data:

<i>Total Power Units Available</i> —	26	26
<i>Movement Point Ratio</i> —	4/1	4/1
<i>Warp Engine Type</i> —	KWA-1	KWA-1
Number —	4	4
Power Units Available —	5 ea.	5 ea.
Stress Chart —	Q/R	Q/R
Maximum Safe Cruising Speed —	Warp 6	Warp 6
Emergency Speed —	Warp 7	Warp 7
<i>Impulse Engine Type</i> —	KID-1	KID-1
Power Units Available —	6	6

Weapons And Firing Data:

<i>Beam Weapon Type</i> —	KD-5	KD-5
Number —	4	4
Firing Arcs —	2 f/p, 2 f/s	2 f/p, 2 f/s
Firing Chart —	P	P
Maximum Power —	4	4
Damage Modifiers —		
+3	(-)	(-)
+2	(1-10)	(1-10)
+1	(11-18)	(11-18)
<i>Beam Weapon Type</i> —	KD-9	KD-9
Number —	1	1
Firing Arcs —	1 p/f/s	1 p/f/s
Firing Chart —	W	W
Maximum Power —	5	5
Damage Modifiers —		
+3	(1-7)	(1-7)
+2	(8-15)	(8-15)
+1	(16-20)	(16-20)
<i>Beam Weapon Type</i> —	KD-8	KD-16
Number —	1	1
Firing Arcs —	1 f	1 f
Firing Chart —	U	Y
Maximum Power —	7	6
Damage Modifiers —		
+3	(1-7)	(1-9)
+2	(8-15)	(10-17)
+1	(16-20)	(18-22)

Shield Data:


<i>Deflector Shield Type</i> —	KSN	KSN
Shield Point Ratio —	2/3	2/3
Maximum Shield Power —	15	15

Combat Efficiency:

<i>D</i> —	69.6	75.3
<i>WDF</i> —	23.6	24.6



K-7A (PAINFUL) CLASS IV SCOUT



Construction Data:

<i>Model Numbers</i> —	Variant-1	Variant-2	Variant-3	Variant-4	Variant-5
<i>Ship Class</i> —	IV	IV	IV	IV	IV
<i>Date Entering Service</i> —	2265-2289	2291-2316	2318-2343	2345-2367	2368-2372
<i>Number Constructed</i> —	1	Refit	Refit	Refit	Refit

Hull Data:

<i>Superstructure Points</i> —	12	12	12	12	12
<i>Damage Chart</i> —	C	C	C	C	C
<i>Size:</i>					
Length —	146.5 m	146.5 m	146.5 m	146.5 m	146.5 m
Width —	77.0 m	77.0 m	77.0 m	77.0 m	77.0 m
Height —	37.1 m	37.1 m	37.1 m	37.1 m	37.1 m
Displacement —	34,865 mt	37,090 mt	36,115 mt	38,845 mt	39,655 mt
<i>Cargo:</i>					
Cargo Units —	25 SCU	25 SCU	25 SCU	25 SCU	25 SCU
Cargo Capacity —	1,250 mt	1,250 mt	1,250 mt	1,250 mt	1,250 mt
Landing Capacity —	None	None	None	None	None

Equipment Data:

<i>Control Computer Type</i> —	ZD-3	ZD-4	ZD-4	ZI-1	ZI-1
<i>Transporters:</i>					
standard 6-person —	3	3	3	3	3
cargo —	1	1	1	1	1
<i>Cloaking Device Type:</i>	-	-	-	KCB	KCB
<i>Power Requirements</i> —	-	-	-	22	22

Other Data:

<i>Crew</i> —	124	124	124	124	124
<i>Passengers</i> —	15	15	15	15	15
<i>Shuttlecraft</i> —	1	1	1	1	1

Engines And Power Data:

<i>Total Power Units Available</i> —	21	21	21	27	27
<i>Movement Point Ratio</i> —	2/1	2/1	2/1	2/1	2/1
<i>Warp Engine Type</i> —	KWB-1	KWB-1	KWB-1	KWB-2	KWB-2
Number —	2	2	2	2	2
Power Units Available —	9 ea.	9 ea.	9 ea.	12 ea.	12 ea.
Stress Chart —	O/Q	O/Q	O/Q	P/Q	P/Q
Maximum Safe Cruising Speed —	Warp 6	Warp 6	Warp 6	Warp 8	Warp 8
Emergency Speed —	Warp 7	Warp 7	Warp 7	Warp 9	Warp 9
<i>Impulse Engine Type</i> —	KIB-1	KIB-1	KIB-1	KIB-1	KIB-1
Power Units Available —	3	3	3	3	3

Weapons And Firing Data:

<i>Beam Weapon Type</i> —	KD-5	KD-5	KD-7	KD-17	KD-17
Number —	4	4	4	4	4
Firing Arcs —	1 f/p, 2 f, 1 f/s	1 f/p, 2 f, 1 f/s	1 f/p, 2 f, 1 f/s	1 f/p, 2 f, 1 f/s	1 f/p, 2 f, 1 f/s
Firing Chart —	P	P	L	X	X
Maximum Power —	4	4	7	9	9
Damage Modifiers —					
+3	(-)	(-)	(-)	(1-12)	(1-12)
+2	(1-10)	(1-10)	(1-6)	(13-17)	(13-17)
+1	(11-18)	(11-18)	(7-12)	(18-22)	(18-22)
<i>Missile Weapon Type</i> —	KP-1	KP-2	KP-5	KP-5	KP-6
Number —	1	1	1	1	1
Firing Arcs —	1 f	1 f	1 f	1 f	1 f
Firing Chart —	F	H	Q	Q	R
Power To Arm —	1	1	1	1	2
Damage —	6	10	10	10	20

Shield Data:


<i>Deflector Shield Type</i> —	KSA	KSD	KSD	KSD	KSW
Shield Point Ratio —	1/1	1/2	1/2	1/2	1/2
Maximum Shield Power —	5	11	11	11	32

Combat Efficiency:

<i>D</i> —	39.2	63.2	63.2	71.2	101.2
<i>WDF</i> —	13.5	15.2	20.7	41.5	47.8




K-14G (ADVANCER) CLASS IV SCOUT



Construction Data:				
Model Numbers —	Variant-1	Variant-2	Variant-3	Variant-4
Ship Class —	IV	IV	IV	IV
Date Entering Service —	2277-2305	2305-2341	2342-2360	2361-2367
Number Constructed —	1	Refit	Refit	Refit
Hull Data:				
Superstructure Points —	12	12	12	12
Damage Chart —	C	C	C	C
Size:				
Length —	145.0 m	145.0 m	145.0 m	145.0 m
Width —	100.0 m	100.0 m	100.0 m	100.0 m
Height —	35.0 m	35.0 m	35.0 m	35.0 m
Displacement —	37,810 mt	38,560 mt	39,725 mt	39,465 mt
Cargo:				
Cargo Units —	12 SCU	12 SCU	12 SCU	12 SCU
Cargo Capacity —	600 mt	600 mt	600 mt	600 mt
Landing Capacity —	Yes	Yes	Yes	Yes
Equipment Data:				
Control Computer Type —	ZD-4	ZD-4	ZI-1	ZI-1
Transporters:				
standard 6-person —	1	1	1	1
Cloaking Device Type:	-	KCB	KCB	KCB
Power Requirements —	-	22	22	22
Other Data:				
Crew —	17	17	17	17
Shuttlecraft —	1	1	1	1
Engines And Power Data:				
Total Power Units Available —	29	29	29	29
Movement Point Ratio —	2/1	2/1	2/1	2/1
Warp Engine Type —	KWB-2	KWB-2	KWB-2	KWB-2
Number —	2	2	2	2
Power Units Available —	12 ea.	12 ea.	12 ea.	12 ea.
Stress Chart —	P/Q	P/Q	P/Q	P/Q
Maximum Safe Cruising Speed —	Warp 8	Warp 8	Warp 8	Warp 8
Emergency Speed —	Warp 9	Warp 9	Warp 9	Warp 9
Impulse Engine Type —	OID-1	OID-1	OID-1	OID-1
Power Units Available —	5	5	5	5
Weapons And Firing Data:				
Beam Weapon Type —	KD-7	KD-6	KD-6	KD-17
Number —	3	3	3	3
Firing Arcs —	2 p/f/s, 1 a	2 p/f/s, 1 a	2 p/f/s, 1 a	2 p/f/s, 1 a
Firing Chart —	L	T	T	X
Maximum Power —	7	6	6	9
Damage Modifiers —				
+3	(-)	(-)	(-)	(1-12)
+2	(1-6)	(1-18)	(1-18)	(13-17)
+1	(7-12)	(-)	(-)	(18-22)
Missile Weapon Type —	KP-3	KP-3	KP-8	KP-16
Number —	1	1	1	1
Firing Arcs —	1 f	1 f	1 f	1 f
Firing Chart —	R	R	S	Q
Power To Arm —	2	2	2	2
Damage —	15	15	24	36
Shield Data:				
Deflector Shield Type —	KSD	KSD	KST	KST
Shield Point Ratio —	1/2	1/2	1/3	1/3
Maximum Shield Power —	11	11	32	32
Combat Efficiency:				
D —	74.2	74.2	123.7	123.7
WDF —	20.4	24.3	30.3	46.7



K-15G (BATTLERAGE) CLASS V SCOUT



Construction Data:

<i>Model Numbers —</i>	Variant-1	Variant-2	Variant-3	Variant-4
<i>Ship Class —</i>	V	V	V	V
<i>Date Entering Service —</i>	2294-2312	2313-2339	2341-2363	2365-2378
<i>Number Constructed —</i>	1	Refit	Refit	Refit

Hull Data:

<i>Superstructure Points —</i>	15	15	15	15
<i>Damage Chart —</i>	C	C	C	C
<i>Size:</i>				
Length —	110.0 m	110.0 m	110.0 m	110.0 m
Width —	155.0 m	155.0 m	155.0 m	155.0 m
Height —	50.0 m	50.0 m	50.0 m	50.0 m
Displacement —	54,108 mt	54,255 mt	55,460 mt	55,800 mt
<i>Cargo:</i>				
Cargo Units —	30 SCU	30 SCU	30 SCU	30 SCU
Cargo Capacity —	1,500 mt	1,500 mt	1,500 mt	1,500 mt
Landing Capacity —	Yes	Yes	Yes	Yes

Equipment Data:

<i>Control Computer Type —</i>	ZD-4	ZD-4	ZI-1	ZI-1
<i>Transporters:</i>				
standard 6-person —	1	1	1	1
emergency 22-person —	1	1	1	1
cargo —	1	1	1	1
<i>Cloaking Device Type:</i>	KCB	KCB	KCB	KCB
<i>Power Requirements —</i>	22	22	22	22

Other Data:

<i>Crew —</i>	128	128	128	128
<i>Passengers —</i>	2	2	2	2

Engines And Power Data:

<i>Total Power Units Available —</i>	26	28	28	28
<i>Movement Point Ratio —</i>	2/1	2/1	2/1	2/1
<i>Warp Engine Type —</i>	KWC-3	KWC-3	KWC-3	KWC-3
Number —	1	1	1	1
Power Units Available —	22	22	22	22
Stress Chart —	L/M	L/M	L/M	L/M
Maximum Safe Cruising Speed —	Warp 7	Warp 7	Warp 7	Warp 7
Emergency Speed —	Warp 8	Warp 8	Warp 8	Warp 8
<i>Impulse Engine Type —</i>	KIC-2	KID-1	KID-1	KID-1
Power Units Available —	4	6	6	6

Weapons And Firing Data:

<i>Beam Weapon Type —</i>	KD-7	KD-7	KD-7	KD-7
Number —	4	4	4	4
Firing Arcs —	2 f, 1 p/a, 1 s/a	2 f, 1 p/a, 1 s/a	2 f, 1 p/a, 1 s/a	2 f, 1 p/a, 1 s/a
Firing Chart —	L	L	L	L
Maximum Power —	7	7	7	7
Damage Modifiers —				
+3	(-)	(-)	(-)	(-)
+2	(1-6)	(1-6)	(1-6)	(1-6)
+1	(7-12)	(7-12)	(7-12)	(7-12)
<i>Missile Weapon Type —</i>	KP-3	KP-3	KP-12	KP-22
Number —	1	1	1	1
Firing Arcs —	1 f	1 f	1 f	1 f
Firing Chart —	R	R	P	R
Power To Arm —	2	2	2	2
Damage —	15	15	28	40

Shield Data:


<i>Deflector Shield Type —</i>	KSD	KSD	KST	KST
Shield Point Ratio —	1/2	1/2	1/3	1/3
Maximum Shield Power —	11	11	32	32

Combat Efficiency:

<i>D —</i>	74.5	76.5	125.0	125.0
<i>WDF —</i>	24.2	24.2	30.5	39.0



K-20A (SHOCKER) CLASS VII HEAVY SCOUT



Construction Data:

<i>Model Numbers —</i>	Variant-1	Variant-2	Variant-3	Variant-4
<i>Ship Class —</i>	VII	VII	VII	VII
<i>Date Entering Service —</i>	2292-2315	2316-2339	2340-2357	2358-2366
<i>Number Constructed —</i>	1	Refit	Refit	Refit

Hull Data:

<i>Superstructure Points —</i>	22	22	22	22
<i>Damage Chart —</i>	C	C	C	C
<i>Size:</i>				
Length —	189.0 m	189.0 m	189.0 m	189.0 m
Width —	189.0 m	189.0 m	189.0 m	189.0 m
Height —	52.0 m	52.0 m	52.0 m	52.0 m
Displacement —	96,553 mt	99,475 mt	99,875 mt	95,320 mt
<i>Cargo:</i>				
Cargo Units —	40 SCU	40 SCU	40 SCU	40 SCU
Cargo Capacity —	2,000 mt	2,000 mt	2,000 mt	2,000 mt
Landing Capacity —	None	None	None	None

Equipment Data:

<i>Control Computer Type —</i>	ZD-6	ZD-6	ZD-6	ZI-2
<i>Transporters:</i>				
standard 6-person —	1	1	1	1
emergency 22-person —	1	1	1	1
cargo —	1	1	1	1
<i>Cloaking Device Type:</i>	KCC	KCC	KCC	KCC
<i>Power Requirements —</i>	32	32	32	32

Other Data:

<i>Crew —</i>	61	61	61	61
<i>Shuttlecraft —</i>	1	1	1	1

Engines And Power Data:

<i>Total Power Units Available —</i>	64	64	64	64
<i>Movement Point Ratio —</i>	3/1	3/1	3/1	3/1
<i>Warp Engine Type —</i>	KWC-3	KWC-3	KWC-3	KWC-3
Number —	2	2	2	2
Power Units Available —	23 ea.	23 ea.	23 ea.	23 ea.
Stress Chart —	L/O	L/O	L/O	L/O
Maximum Safe Cruising Speed —	Warp 8	Warp 8	Warp 8	Warp 8
Emergency Speed —	Warp 9	Warp 9	Warp 9	Warp 9
<i>Impulse Engine Type —</i>	KIE-3	KIE-3	KIE-3	KIE-3
Power Units Available —	18	18	18	18

Weapons And Firing Data:

<i>Beam Weapon Type —</i>	KPD-3	KD-8	KD-8	KD-17
Number —	6	6	6	6
Firing Arcs —	2 f/p, 2 f/s, 2 a	2 f/p, 2 f/s, 2 a	2 f/p, 2 f/s, 2 a	2 f/p, 2 f/s, 2 a
Firing Chart —	J	U	U	X
Maximum Power —	4	7	7	9
Damage Modifiers —				
+3	(1-3)	(1-7)	(1-7)	(1-12)
+2	(4-7)	(8-15)	(8-15)	(13-17)
+1	(8-10)	(16-20)	(16-20)	(18-22)
<i>Missile Weapon Type —</i>	KP-8	KP-11	KP-16	KP-17
Number —	1	1	1	1
Firing Arcs —	1 f	1 f	1 f	1 f
Firing Chart —	S	R	Q	R
Power To Arm —	2	1	2	2
Damage —	24	26	36	38

Shield Data:


<i>Deflector Shield Type —</i>	KSM	KSH	KSH	KSX
Shield Point Ratio —	1/1	1/3	1/3	1/4
Maximum Shield Power —	14	13	13	32

Combat Efficiency:

<i>D —</i>	81.5	139.5	139.5	197.5
<i>WDF —</i>	29.4	52.0	56.3	76.6




K-31B (INVOKER) CLASS VII SCOUT CRUISER



Construction Data:				
Model Numbers —	Variant-1	Variant-2	Variant-3	Variant-4
Ship Class —	VII	VII	VII	VII
Date Entering Service —	2299-2318	2319-2346	2348-2360	2361-2378
Number Constructed —	1	Refit	Refit	Refit
Hull Data:				
Superstructure Points —	22	22	24	24
Damage Chart —	B	B	B	B
Size:				
Length —	242.0 m	242.0 m	242.0 m	242.0 m
Width —	134.0 m	134.0 m	134.0 m	134.0 m
Height —	37.0 m	37.0 m	37.0 m	37.0 m
Displacement —	97,465 mt	97,555 mt	99,165 mt	99,265 mt
Cargo:				
Cargo Units —	210 SCU	210 SCU	210 SCU	210 SCU
Cargo Capacity —	10,500 mt	10,500 mt	10,500 mt	10,500 mt
Landing Capacity —	None	None	None	None
Equipment Data:				
Control Computer Type —	ZD-6	ZD-6	ZI-2	ZI-2
Transporters:				
standard 6-person —	1	1	1	1
combat 22-person —	4	4	4	4
emergency 22-person —	2	2	2	2
cargo —	2	2	2	2
Cloaking Device Type:	KCC	KCC	KCC	KCC
Power Requirements —	32	32	32	32
Other Data:				
Crew —	206	206	206	206
Troops —	70	70	70	70
Passengers —	5	5	5	5
Shuttlecraft —	3	3	3	3
Engines And Power Data:				
Total Power Units Available —	52	52	52	52
Movement Point Ratio —	3/1	3/1	3/1	3/1
Warp Engine Type —	KWC-3	KWC-3	KWC-3	KWC-3
Number —	2	2	2	2
Power Units Available —	23 ea.	23 ea.	23 ea.	23 ea.
Stress Chart —	L/O	L/O	L/O	L/O
Maximum Safe Cruising Speed —	Warp 8	Warp 8	Warp 8	Warp 8
Emergency Speed —	Warp 9	Warp 9	Warp 9	Warp 9
Impulse Engine Type —	KID-1	KID-1	KID-1	KID-1
Power Units Available —	6	6	6	6
Weapons And Firing Data:				
Beam Weapon Type —	KD-17	KD-17	KD-17	KD-17
Number —	4	4	4	4
Firing Arcs —	1 f/p, 1 f/s, 1 p/a, 1 s/a	1 f/p, 1 f/s, 1 p/a, 1 s/a	1 f/p, 1 f/s, 1 p/a, 1 s/a	1 f/p, 1 f/s, 1 p/a, 1 s/a
Firing Chart —	X	X	X	X
Maximum Power —	9	9	9	9
Damage Modifiers —				
+3	(1-12)	(1-12)	(1-12)	(1-12)
+2	(13-17)	(13-17)	(13-17)	(13-17)
+1	(18-22)	(18-22)	(18-22)	(18-22)
Beam Weapon Type —	KD-6	KD-9	KD-15	KD-15
Number —	2	2	2	2
Firing Arcs —	2 f	2 f	2 f	2 f
Firing Chart —	T	W	T	T
Maximum Power —	6	5	10	10
Damage Modifiers —				
+3	(-)	(1-7)	(-)	(-)
+2	(1-18)	(8-15)	(1-18)	(1-18)
+1	(-)	(16-20)	(-)	(-)
Missile Weapon Type —	KP-6	KP-6	KP-19	KP-17
Number —	1	1	1	1
Firing Arcs —	1 f	1 f	1 f	1 f
Firing Chart —	R	R	Q	R
Power To Arm —	2	2	2	2
Damage —	20	20	32	38
Shield Data:				
Deflector Shield Type —	KSO	KSP	KSY	KSX
Shield Point Ratio —	1/2	1/3	1/3	1/4
Maximum Shield Power —	15	15	36	32
Combat Efficiency:				
D —	102.5	126.0	158.8	178.3
WDF —	58.0	58.8	68.9	74.0



G-1E (KEEPER) CLASS IV LIGHT TRANSPORT



Construction Data:

<i>Model Numbers</i> —	Variant-1	Variant-2
<i>Ship Class</i> —	IV	IV
<i>Date Entering Service</i> —	2263-2311	2312-2378
<i>Number Constructed</i> —	1	Refit

Hull Data:

<i>Superstructure Points</i> —	14	14
<i>Damage Chart</i> —	C	C
<i>Size:</i>		
Length —	55.0 m	55.0 m
Width —	13.6 m	13.6 m
Height —	27.1 m	27.1 m
Displacement —	38,635 mt	38,495 mt
<i>Cargo:</i>		
Cargo Units —	50 SCU	50 SCU
Cargo Capacity —	2,500 mt	2,500 mt
Landing Capacity —	Yes	Yes

Equipment Data:

<i>Control Computer Type</i> —	ZD-4	ZD-4
<i>Transporters:</i>		
standard 6-person —	1	1
emergency 22-person —	1	1
cargo —	1	1

Other Data:

<i>Crew</i> —	12	12
<i>Passengers</i> —	21	21

Engines And Power Data:

<i>Total Power Units Available</i> —	21	21
<i>Movement Point Ratio</i> —	3/1	3/1
<i>Warp Engine Type</i> —	KWB-1	KWB-1
Number —	2	2
Power Units Available —	9 ea.	9 ea.
Stress Chart —	O/Q	O/Q
Maximum Safe Cruising Speed —	Warp 5	Warp 5
Emergency Speed —	Warp 6	Warp 6
<i>Impulse Engine Type</i> —	KIB-1	KIB-1
Power Units Available —	3	3

Weapons And Firing Data:

<i>Beam Weapon Type</i> —	KD-3	KD-7
Number —	2	2
Firing Arcs —	1 f/p, 1 f/s	1 f/p, 1 f/s
Firing Chart —	I	L
Maximum Power —	5	7
Damage Modifiers —		
+3	(-)	(-)
+2	(-)	(1-6)
+1	(1-12)	(7-12)
<i>Beam Weapon Type</i> —	KD-8	KD-16
Number —	1	1
Firing Arcs —	1 f	1 f
Firing Chart —	U	Y
Maximum Power —	7	6
Damage Modifiers —		
+3	(1-7)	(1-9)
+2	(8-15)	(10-17)
+1	(16-20)	(18-22)

Shield Data:


<i>Deflector Shield Type</i> —	KSD	KSD
Shield Point Ratio —	1/2	1/2
Maximum Shield Power —	11	11

Combat Efficiency:

<i>D</i> —	56.0	56.0
<i>WDF</i> —	10.5	14.7



G-7A (MODERATOR) CLASS VII FREIGHTER



Construction Data:

<i>Model Numbers —</i>	Variant-1	Variant-2	Variant-3	Variant-4	Variant-5
<i>Ship Class —</i>	VII	VII	VII	VII	VII
<i>Date Entering Service —</i>	2278-2305	2308-2329	2331-2347	2348-2361	2362-2378
<i>Number Constructed —</i>	Refit	Refit	Refit	Refit	Refit

Hull Data:

<i>Superstructure Points —</i>	17	17	17	17	17
<i>Damage Chart —</i>	C	C	C	C	C
<i>Size:</i>					
Length —	208.0 m	208.0 m	208.0 m	208.0 m	208.0 m
Width —	96.0 m	96.0 m	96.0 m	96.0 m	96.0 m
Height —	85.0 m	85.0 m	85.0 m	85.0 m	85.0 m
Displacement —	95,640 mt	97,565 mt	98,645 mt	98,630 mt	96,560 mt

Cargo:

<i>Cargo Units —</i>	4,000 SCU	4,000 SCU	4,000 SCU	4,000 SCU	4,000 SCU
<i>Cargo Capacity —</i>	200,000 mt	200,000 mt	200,000 mt	200,000 mt	200,000 mt
<i>Landing Capacity —</i>	None	None	None	None	None

Equipment Data:

<i>Control Computer Type —</i>	ZD-5	ZD-5	ZD-6	ZD-6	ZI-2
<i>Transporters:</i>					
standard 6-person —	2	2	2	2	2
emergency 22-person —	1	1	1	1	1
cargo —	8	8	8	8	8

Other Data:

<i>Crew —</i>	43	43	43	43	43
<i>Passengers —</i>	30	30	30	30	30
<i>Shuttlecraft —</i>	6	6	6	6	6

Engines And Power Data:

<i>Total Power Units Available —</i>	42	42	54	54	54
<i>Movement Point Ratio —</i>					
unloaded —	4/1	4/1	4/1	4/1	4/1
loaded —	6/1	6/1	6/1	6/1	6/1
<i>Warp Engine Type —</i>	KWD-1	KWD-1	KWD-1	KWD-1	KWD-1
Number —	2	2	2	2	2
Power Units Available —	18 ea.	18 ea.	18 ea.	18 ea.	18 ea.
Stress Chart —	L/N	L/N	L/N	L/N	L/N
<i>Maximum Safe Cruising Speed —</i>					
unloaded —	Warp 6	Warp 6	Warp 6	Warp 6	Warp 6
loaded —	Warp 4	Warp 4	Warp 4	Warp 4	Warp 4
<i>Emergency Speed —</i>					
unloaded —	Warp 8	Warp 8	Warp 8	Warp 8	Warp 8
loaded —	Warp 5	Warp 5	Warp 5	Warp 5	Warp 5
<i>Impulse Engine Type —</i>	KID-1	KID-1	KIE-3	KIE-3	KIE-3
Power Units Available —	6	6	18	18	18

Weapons And Firing Data:

<i>Beam Weapon Type —</i>	KD-7	KD-8	KD-16	KD-16	KD-17
Number —	4	4	4	4	4
Firing Arcs —	1 f/p, 1 f/s, 2 a	1 f/p, 1 f/s, 2 a	1 f/p, 1 f/s, 2 a	1 f/p, 1 f/s, 2 a	1 f/p, 1 f/s, 2 a
Firing Chart —	L	U	Y	Y	X
Maximum Power —	7	7	6	6	9
Damage Modifiers —					
+3	(-)	(1-7)	(1-9)	(1-9)	(1-12)
+2	(1-6)	(8-15)	(10-17)	(10-17)	(13-17)
+1	(7-12)	(16-20)	(18-22)	(18-22)	(18-22)
<i>Missile Weapon Type —</i>	KP-3	KP-4	KP-6	KP-10	KP-18
Number —	1	1	1	1	1
Firing Arcs —	1 f	1 f	1 f	1 f	1 f
Firing Chart —	R	Q	R	Q	S
Power To Arm —	2	2	2	1	1
Damage —	15	18	20	22	25

Shield Data:


<i>Deflector Shield Type —</i>	KSK	KSK	KSH	KSP	KSU
Shield Point Ratio —	1/2	1/2	1/3	1/3	1/4
Maximum Shield Power —	13	13	13	15	32

Combat Efficiency:

<i>D —</i>					
unloaded —	72.3	72.3	100.8	103.8	148.3
loaded —	62.3	62.3	79.8	82.8	120.3
<i>WDF —</i>	24.2	34.2	40.2	40.4	51.6



BALMORE (SLAVE OF TEARS) CLASS VIII TRANSPORT



Construction Data:

	Variant-1	Variant-2	Variant-3
<i>Model Numbers —</i>	VIII	VIII	VIII
<i>Ship Class —</i>	2271-2304	2306-2341	2345-2372
<i>Date Entering Service —</i>	1	Refit	Refit
<i>Number Constructed —</i>			

Hull Data:

	Variant-1	Variant-2	Variant-3
<i>Superstructure Points —</i>	22	22	22
<i>Damage Chart —</i>	C	C	C
<i>Size:</i>			
Length —	267.7 m	267.7 m	267.7 m
Width —	129.5 m	129.5 m	129.5 m
Height —	35.2 m	35.2 m	35.2 m
Displacement —	118,905 mt	116,815 mt	113,656 mt
<i>Cargo:</i>			
Cargo Units —	3,750 SCU	3,750 SCU	3,750 SCU
Cargo Capacity —	187,500 mt	187,500 mt	187,500 mt
Landing Capacity —	None	None	None

Equipment Data:

	Variant-1	Variant-2	Variant-3
<i>Control Computer Type —</i>	M-2	ZD-6	ZI-2
<i>Transporters:</i>			
standard 6-person —	2	2	2
emergency 22-person —	2	2	2
cargo —	2	2	2

Other Data:

	Variant-1	Variant-2	Variant-3
<i>Crew —</i>	125	125	125
<i>Passengers —</i>	15	15	15
<i>Shuttlecraft —</i>	2	2	2

Engines And Power Data:

	Variant-1	Variant-2	Variant-3
<i>Total Power Units Available —</i>	19	35	35
<i>Movement Point Ratio —</i>			
unloaded—	3/1	3/1	3/1
loaded —	6/1	6/1	6/1
<i>Warp Engine Type —</i>	FWE-1	KWF-1	KWF-1
Number —	2	2	2
Power Units Available —	8 ea.	16 ea.	16 ea.
Stress Chart —	G/K	H/J	H/J
Maximum Safe Cruising Speed —			
unloaded —	Warp 7	Warp 8	Warp 8
loaded —	Warp 5	Warp 5	Warp 5
Emergency Speed —			
unloaded —	Warp 9	Warp 9	Warp 9
loaded —	Warp 6	Warp 6	Warp 6
<i>Impulse Engine Type —</i>	FIC-2	FIC-2	FIC-2
Power Units Available —	3	3	3

Weapons And Firing Data:

	Variant-1	Variant-2	Variant-3
<i>Beam Weapon Type —</i>	KD-7	KD-8	KD-25
Number —	4	4	4
Firing Arcs —	2 p. 2 s	2 p. 2 s	2 p. 2 s
Firing Chart —	L	U	Y
Maximum Power —	7	7	12
Damage Modifiers —			
+3	(-)	(1-7)	(1-7)
+2	(1-6)	(8-15)	(8-14)
+1	(7-12)	(16-20)	(15-20)

Shield Data:


	Variant-1	Variant-2	Variant-3
<i>Deflector Shield Type —</i>	KSN	KSP	KST
Shield Point Ratio —	2/3	1/3	1/3
Maximum Shield Power —	14	15	32

Combat Efficiency:

	Variant-1	Variant-2	Variant-3
<i>D —</i>			
unloaded—	65.2	102.0	126.0
loaded —	58.5	76.5	100.5
<i>WDF —</i>	15.2	24.4	48.4




G-5B (PACKMASTER) CLASS VIII TRANSPORT



Construction Data:				
Model Numbers —	Variant-1	Variant-2	Variant-3	Variant-4
Ship Class —	VIII	VIII	VIII	VIII
Date Entering Service —	2294-2318	2320-2341	2343-2359	2361-2378
Number Constructed —	Refit	Refit	Refit	Refit
Hull Data:				
Superstructure Points —	22	22	22	22
Damage Chart —	A	A	A	A
Size:				
Length —	110.0 m	110.0 m	110.0 m	110.0 m
Width —	80.0 m	80.0 m	80.0 m	80.0 m
Height —	40.0 m	40.0 m	40.0 m	40.0 m
Displacement —	117,510 mt	117,755 mt	114,485 mt	115,680 mt
Cargo:				
Cargo Units —	4,610 SCU	4,610 SCU	4,610 SCU	4,610 SCU
Cargo Capacity —	230,500 mt	230,500 mt	230,500 mt	230,500 mt
Landing Capacity —	None	None	None	None
Equipment Data:				
Control Computer Type —	ZD-6	ZD-6	ZI-2	ZI-2
Transporters:				
standard 6-person —	1	1	1	1
emergency 22-person —	1	1	1	1
Other Data:				
Crew —	59	59	59	59
Passengers —	2	2	2	2
Shuttlecraft —	2	2	2	2
Engines And Power Data:				
Total Power Units Available —	48	54	59	61
Movement Point Ratio —				
unloaded —	3/1	3/1	3/1	3/1
loaded —	7/1	7/1	7/1	7/1
Warp Engine Type —	KWF-2	KWF-2	KWF-2	KWF-2
Number —	2	2	2	2
Power Units Available —	18 ea.	18 ea.	18 ea.	18 ea.
Stress Chart —	H/J	H/J	H/J	H/J
Maximum Safe Cruising Speed —				
unloaded —	Warp 8	Warp 8	Warp 8	Warp 8
loaded —	Warp 4	Warp 4	Warp 4	Warp 4
Emergency Speed —				
unloaded —	Warp 9	Warp 9	Warp 9	Warp 9
loaded —	Warp 6	Warp 6	Warp 6	Warp 6
Impulse Engine Type —	KIE-2	KIE-3	KIF-2	KIM-3
Power Units Available —	12	18	23	25
Weapons And Firing Data:				
Beam Weapon Type —	KD-6	KD-16	KD-16	KD-17
Number —	4	4	4	4
Firing Arcs —	1 f/p, 1 f/s, 2 p/a/s	1 f/p, 1 f/s, 2 p/a/s	1 f/p, 1 f/s, 2 p/a/s	1 f/p, 1 f/s, 2 p/a/s
Firing Chart —	T	Y	X	Y
Maximum Power —	6	6	6	9
Damage Modifiers —				
+3	(-)	(1-9)	(1-9)	(1-12)
+2	(1-18)	(10-17)	(10-17)	(13-17)
+1	(-)	(18-22)	(18-22)	(18-22)
Missile Weapon Type —	KP-5	KP-4	KP-10	KP-18
Number —	3	3	3	3
Firing Arcs —	2 f, 1 a	2 f, 1 a	2 f, 1 a	2 f, 1 a
Firing Chart —	Q	Q	Q	S
Power To Arm —	1	2	1	1
Damage —	10	18	22	25
Shield Data:				
Deflector Shield Type —	KSP	KSP	KST	KSU
Shield Point Ratio —	1/3	1/3	1/3	1/4
Maximum Shield Power —	15	15	32	32
Combat Efficiency:				
D —				
unloaded —	120.0	129.0	160.5	193.5
loaded —	82.5	85.5	112.5	127.5
WDF —	36.9	57.8	64.4	82.8



G-5C (CONVEYOR) CLASS VIII TRANSPORT



Construction Data:			
<i>Model Numbers —</i>	Variant-1	Variant-2	Variant-3
<i>Ship Class —</i>	VIII	VIII	VIII
<i>Date Entering Service —</i>	2313-2337	2339-2360	2361-2378
<i>Number Constructed —</i>	1	Refit	Refit
Hull Data:			
<i>Superstructure Points —</i>	17	17	18
<i>Damage Chart —</i>	A	A	A
<i>Size:</i>			
Length —	110.0 m	110.0 m	110.0 m
Width —	80.0 m	80.0 m	80.0 m
Height —	40.0 m	40.0 m	40.0 m
Displacement —	119,230 mt	119,340 mt	118,375 mt
<i>Cargo:</i>			
Cargo Units —	4,613 SCU	4,613 SCU	4,613 SCU
Cargo Capacity —	230,650 mt	230,650 mt	230,650 mt
Landing Capacity —	None	None	None
Equipment Data:			
<i>Control Computer Type —</i>	ZD-6	ZD-6	ZI-2
<i>Transporters:</i>			
standard 6-person —	1	1	1
Other Data:			
<i>Crew —</i>	43	43	43
<i>Passengers —</i>	2	2	2
<i>Shuttlecraft —</i>	2	2	2
Engines And Power Data:			
<i>Total Power Units Available —</i>	40	45	47
<i>Movement Point Ratio —</i>			
unloaded —	3/1	3/1	3/1
loaded —	7/1	7/1	7/1
<i>Warp Engine Type —</i>			
Number —	KWE-1	KWE-1	KWE-1
Power Units Available —	2	2	2
Stress Chart —	11 ea.	11 ea.	11 ea.
<i>Maximum Safe Cruising Speed —</i>			
unloaded —	I/L	I/L	I/L
loaded —	Warp 6	Warp 6	Warp 6
Emergency Speed —	Warp 4	Warp 4	Warp 4
unloaded —	Warp 8	Warp 8	Warp 8
loaded —	Warp 6	Warp 6	Warp 6
<i>Impulse Engine Type —</i>			
Power Units Available —	KIE-3	KIF-2	KIM-3
	18	23	25
Weapons And Firing Data:			
<i>Beam Weapon Type —</i>			
Number —	KD-17	KD-17	KD-17
Firing Arcs —	6	6	6
Firing Chart —	2 f/p, 2 f/s, 2 p/a/s	2 f/p, 2 f/s, 2 p/a/s	2 f/p, 2 f/s, 2 p/a/s
Maximum Power —	X	X	X
Damage Modifiers —	9	9	9
+3 —	(1-12)	(1-12)	(1-12)
+2 —	(13-17)	(13-17)	(13-17)
+1 —	(18-22)	(18-22)	(18-22)
Shield Data:			
<i>Deflector Shield Type —</i>			
Shield Point Ratio —	KSP	KSP	KST
Maximum Shield Power —	1/3	1/3	1/3
	15	15	32
Combat Efficiency:			
<i>D —</i>			
unloaded —	100.8	108.3	136.7
loaded —	69.3	72.3	99.2
<i>WDF —</i>	54.0	54.0	54.0

CLASSIFIED AUTHORIZED PERSONNEL ONLY

The Imperial **Klingon States Ship Recognition Manual IX** is intended for Star Fleet personnel with a “need to know” concerning information on the IKS Navy. This comprehensive study discloses known combat, visual, and historical data on different IKS and modified Klingon ships used by the IKS and their variants. This manual is a must for all *Star Trek* enthusiasts.

This manual includes both native designs and modified Imperial vessels whos crews have defected to the IKS.



STAR TREK® is a trademark of Paramount Pictures Corporation and was used under exclusive license by FASA Corporation.
Copyright © 1966, 2026 Paramount Pictures Corporation
All Rights Reserved

